



JN0-643^{Q&As}

Enterprise Routing and Switching, Professional (JNCIP-ENT)

Pass Juniper JN0-643 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/jn0-643.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





QUESTION 1

Which set of BGP attributes is preferred by the Junos OS?

A. MED. 100 AS path: 50 50 50 Local preferenceE. 50

Origin: I

B. MED. 50 AS path: 50 50 50 Local preferenceE. 1 Origin: E


C. MED. 100 AS path: 50 50 50 50 Local preferenceE. 50 Origin: I

D. MED. 50 AS path: 50 50 50 Local preferenceE. 50 Origin: E

Correct Answer: A

QUESTION 2

Referring to the exhibit, All hosts have individually authenticated using 802.1X.



Which supplicant mode is used on the switch?

A. MAC RADIUS

B. MULTIPLE

C. SINGLE

D. SINGLE SECURE



Correct Answer: B

QUESTION 3

You notice that a number of IGMP leave group messages are passing through a BMA network and are impacting the network's performance.


What would you do to resolve this issue without affecting multicast traffic?

- A. Apply an import policy to control leave group messages.
- B. Suppress group-specific queries.
- C. Suppress generic IGMP queries.
- D. Enable promiscuous-mode in IGMP.

Correct Answer: B

QUESTION 4

-- Exhibit



-- Exhibit -

Click the Exhibit button.

A contractor needs to connect a laptop to your company network, but your company has no wireless access and each office has only a single network port for an employee laptop. You have an IP phone with a data port available and you have access to the switch connected to it. You can also add the contractor's MAC address to the RADIUS server database.

Referring to the exhibit, which three commands will allow access? (Choose three.)

- A. set protocols dot1x authenticator authentication-profile-name radius_profile interface ge- 0/0/16.0 mac- radius
- B. set interfaces ge-0/0/16.0 family ethernet-switching port-mode trunk
- C. set interfaces ge-0/0/16.0 family ethernet-switching vlan members contractor
- D. set protocols dot1x authenticator authentication-profile-name radius_profile interface ge- 0/0/16.0 supplicant multiple
- E. set interfaces ge-0/0/16.0 family ethernet-switching vlan members all

Correct Answer: ACD



QUESTION 5

In a PIM-SM network, which type of node helps to build a tree towards an unknown multicast source?

- A. DIS
- B. RP
- C. DR
- D. BSR

Correct Answer: A

[JN0-643 VCE Dumps](#)

[JN0-643 Practice Test](#)

[JN0-643 Braindumps](#)