



# JN0-643<sup>Q&As</sup>

Enterprise Routing and Switching, Professional (JNCIP-ENT)

## Pass Juniper JN0-643 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/jn0-643.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

-- Exhibit -- Exhibit -



Click the Exhibit button.

Referring to the exhibit, USER1 wants to only receive multicast traffic for group 225.0.0.1 and USER2 wants to only receive multicast traffic for group 225.0.0.2. Both users are connected to an EX Series switch and are receiving unwanted multicast traffic.

What will resolve the problem?

- A. Create IGMP static groups with the exclude parameter.
- B. Enable the IGMP immediate-leave parameter.
- C. Use PIM sparse mode instead of PIM dense mode.
- D. Enable IGMP snooping.

Correct Answer: D

### QUESTION 2

You are troubleshooting an LLDP neighbor and cannot see the IP address of the neighboring EX Series switch.

What is causing the problem?


- A. A VLAN interface must be configured under the [edit vlans] hierarchy.
- B. IP addresses are not sent in any LLDP TLVs.
- C. A management address must be configured under the [edit protocols lldp] hierarchy.
- D. You must enable LLDP-MED.

Correct Answer: C



### QUESTION 3

-- Exhibit



-- Exhibit -Click the Exhibit button.


Which statement about the non-ABR router in Area 2 in the exhibit is true?

- A. The router has connectivity to all areas.
- B. The router has connectivity to Area 2 only.
- C. The router has connectivity to Area 2 and Area 0.
- D. The router has connectivity to Area 2 and Area 8.

Correct Answer: D

### QUESTION 4

-- Exhibit



-- Exhibit -Click the Exhibit button.

In the exhibit, Host2 is the only host currently joining group 231.1.1.1, but S1 is still flooding the traffic to all hosts on VLAN 100.

What feature can be configured on S1 to limit the multicast flooding of traffic to only interested hosts on VLAN 100?

- A. Multicast scoping
- B. IGMP snooping
- C. Multicast VLAN registration
- D. IGMP immediate leave

Correct Answer: B

## QUESTION 5

You manage your company enterprises network using EX series switches. Your company wants to use Q in Q tunneling to connect remote customer sites together. Which statement is correct about the scenario?

- A. You must enable L2PT to tunnel layer 2 protocol traffic
- B. The outside layer 2 frame is popped by the penultimate switch
- C. Customer traffic is tunneled through the network using the C VLAN ID
- D. The default Ethernet value is 0x9100

Correct Answer: A