



JN0-690^{Q&As}

Junos Troubleshooting

Pass Juniper JN0-690 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/jn0-690.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Which two tools will help determine the path of a routing loop? (Choose two.)

- A. traceroute
- B. traceoptions
- C. routing table data
- D. SNMP

Correct Answer: AC

QUESTION 2

Two neighboring routers running OSPF were configured with the same router ID by mistake. Which OSPF operational mode command would report the number of hello packets received with the local router's router ID?

- A. show ospf route
- B. show ospf log
- C. show ospf statistics
- D. show ospf io-statistics

Correct Answer: C

QUESTION 3

You have been asked to troubleshoot an interface that is flapping. Which three tools would you use to isolate the cause? (Choose three.)

- A. syslog messages
- B. ping utility
- C. loopback interface testing
- D. show interfaces
- E. PFE statistics

Correct Answer: ACD

QUESTION 4

Which three statements are correct about rpd related troubleshooting on devices running the Junos OS? (Choose



three.)

- A. A log for rpd scheduler slip is an indication of something that should be investigated and resolved.
- B. A log for rpd scheduler slip is a common, harmless syslog and can be ignored.
- C. A possible cause for an overworked rpd is excessive protocol tracing.
- D. A possible method to troubleshoot rpd scheduler slips is to temporarily enable task accounting.
- E. Excessive protocol tracing can never be a cause for an overworked rpd.

Correct Answer: ACD

QUESTION 5

In the Junos OS, which type of file dumps the program's environment in the form of memory pointers, instructions, and register data to a file in the event of a panic or other serious malfunction?

- A. log file
- B. backup file
- C. configuration file
- D. core file

Correct Answer: D

Junos will under a panic create a core-dump file, definitely not a backup file. > show system core-dumps
/var/crash/*core*: No such file or directory /var/tmp/*core*: No such file or directory /var/tmp/pics/*core*: No such file or directory /var/crash/kernel.*: No such file or directory /tftpboot/corefiles/*core*: No such file or directory

[JN0-690 Practice Test](#)

[JN0-690 Study Guide](#)

[JN0-690 Braindumps](#)