

LOT-403^{Q&As}

IBM Forms 8.0 - Form Design and Development

Pass IBM LOT-403 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.geekcert.com/LOT-403.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



VCE & PDF GeekCert.com

https://www.geekcert.com/LOT-403.html

2021 Latest geekcert LOT-403 PDF and VCE dumps Download

QUESTION 1

David has built a form that uses XForms Panes, but he cannot access the fields and labels inside a pane. Why can\\'t David access the fields and labels, and how can he correct this problem?

- A. XForms Panes are actually iframes inside an XFDL form. The way to reference the values ofthe items inside the pane is through the XForms data model.
- B. XForms Panes are insulated from the XFDL items outside of them, as the panes are given a dynamically generated SID at runtime. XForms Panes are unique in that they require the reference tocontain ".PANE" in order to access the items inside the pane. For example: PAGE1.AddressPane.PANE.FIELD1.
- C. XForms Panes are insulated from the XFDL items outside of them, as the panes are given a dynamically generated SID at runtime. The best way to reference the values of the items inside the pane is through the XForms data model.
- D. XForms panes are actually iframes inside an XFDL form. The best way to access the values inside the items within the XForms pane is to use the API.

Correct Answer: C

QUESTION 2

You can modify the text and questions of the signature dialog for all of the following signature types EXCEPT which one?

- A. GenericRSA
- B. Signature Pad
- C. Authenticated Clickwrap
- D. Clickwrap

Correct Answer: A

QUESTION 3

Which of the following scenarios results in an XForms submission NOT being permitted?

- A. The node referred to in an XForms bind has its readonly property set to true() and its relevant property set to false().
- B. The node referred to in an XForms bind has its readonly property set to false() and its relevant property set to true().
- C. The node referred to in an XForms bind has a failed constraint, and its relevant property set to false().
- D. The node referred to in an XForms bind has a failed constraint, and its relevant property set to true().

Correct Answer: D



https://www.geekcert.com/LOT-403.html

2021 Latest geekcert LOT-403 PDF and VCE dumps Download

QUESTION 4

Mary wants to ensure that a user cannot submit a form while it contains any format errors. Which ufv_setting option should she use, and to what value should it be set?
A. false
B. deny
C. false
D. deny

QUESTION 5

Correct Answer: D

Which of the following data types CANNOT be returned from anXForms function?

- A. Boolean
- B. Array
- C. NaN
- D. Nodeset

Correct Answer: B

Latest LOT-403 Dumps

LOT-403 Practice Test

LOT-403 Study Guide

https://www.geekcert.com/LOT-403.html

2021 Latest geekcert LOT-403 PDF and VCE dumps Download

To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.geekcert.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © geekcert, All Rights Reserved.