



# NS0-155<sup>Q&As</sup>

NetApp Certified 7-Mode Data Administrator

## Pass EC-COUNCIL NS0-155 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/ns0-155.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by EC-COUNCIL Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

For each Open Systems platform directory to be backed up to the SnapVault secondary storage system you must execute \_\_\_\_\_.

- A. An initial baseline copy
- B. A temporary copy
- C. An incremental copy
- D. A scheduled update copy

Correct Answer: A

<https://library.netapp.com/ecmdocs/ECMP1196991/html/GUID-EEBC8B52-BEA9-4B49-874F-7EC78D3F602E.html>

Each open systems platform, when prompted by the secondary system, transfers initial base images of specified directories to qtree locations on the secondary system. Note: There are no primary-side Snapshot copies in Open Systems SnapVault.

---

### QUESTION 2

When migrating from Data ONTAP 7G to Data ONTAP 8.0 7-mode, existing non-traditional aggregates are designated as \_\_\_\_\_.

- A. 16-bit
- B. 32-bit
- C. 64-bit
- D. Foreign
- E. Unknown

Correct Answer: B

Aggregates are never converted as part of an upgrade. An upgrade will not touch your data!

---

### QUESTION 3

A mirrored volume has a failed disk, but there are no available spares in the pool from which the degraded plex was built. Data ONTAP will \_\_\_\_\_.

- A. halt all operations to volumes in that pool
- B. choose spare disks to reconstruct from the opposite pool
- C. warn you that there are no available spares from the proper pool



D. "halt" after 24 hours if spare disks are not added to the proper pool

Correct Answer: C

Both `warn you that there are no available spares from the proper pool` and `halt after 24 hours if spare disk are not added to the proper pool` are correct answers. However, since Data ONTAP alerts you first, `warn you that there are no available spares` is the best answer. [https://library.netapp.com/ecm/ecm\\_download\\_file/ECMP1196912](https://library.netapp.com/ecm/ecm_download_file/ECMP1196912)

---

#### QUESTION 4

A snapshot is a frozen, read-only image of the entire Data ONTAP active file system that reflects the state of the \_\_\_\_\_ at the time the snapshot was created.

- A. qtrees
- B. volume
- C. directory
- D. storage system

Correct Answer: B

[http://backdrift.org/man/netapp/man1/na\\_snap.1.html](http://backdrift.org/man/netapp/man1/na_snap.1.html)

Snapshots can be made of volumes or aggregates; most commonly the former. The question refers to a file system, or more specifically a volume. You cannot snapshot directories or qtrees alone.

---

#### QUESTION 5

Which tool is available on an OSSV client to assist in starting or stopping the OSSV service, modifying NDMP settings, enabling debugging, and capturing trace files?

- A. Operations Manager
- B. Protection Manager
- C. Svconfigurator GUI
- D. svdebug.exe

Correct Answer: C

<http://synergy-ds.com/netapp/tr-3466.pdf>



## 7.6 SVCONFIGURATOR



Figure 2) svconfigurator.

After installing the OSSV agent on your primary system, you complete the basic configuration by modifying any outstanding parameters using the `svconfigurator` tool (accessible from the Start menu or from the command line, or `$INSTALL_DIR/bin/svconfigurator.exe` (`$INSTALL_DIR/bin/svconfigurator` in UNIX)).