

NS0-170^{Q&As}

Network Appliance NetCache

Pass NetApp NS0-170 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.geekcert.com/ns0-170.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by NetApp
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



VCE & PDF GeekCert.com

https://www.geekcert.com/ns0-170.html 2024 Latest geekcert NS0-170 PDF and VCE dumps Download

| QUESTION 1 |
|---|
| The traceroute command is used to |
| A. report interface activity in Kbps |
| B. show the state of each interface |
| C. print the route packets take to a network host |
| D. display a list of active sockets for each protocol |
| Correct Answer: C |
| QUESTION 2 |
| The configure "Shared User Hosts" feature under the Appliance Manager\\'s Setup > FTP > Caching Behavior is used to specify: |
| A. FTP servers from which fetched objects will be cached and served without a user- specific key requirement in order to increase the caching efficiency |
| B. a subset of FTP servers that will be accelerated by the NetCache appliance |
| C. a subset of FTP servers that can be bound to a shared virtual IP address in order to increase overall caching efficiency |
| D. a shared IP address that all requesting clients will use to circumvent any authentication or user-specific key requirements on the backend FTP servers |
| Correct Answer: A |
| QUESTION 3 |
| Once created, NetCache groups |
| A. may not be edited |
| B. must be used for authentication |
| C. are required to match existing groups on the authentication server |
| D. may be edited to revise names, permissions, or ACLs |
| Correct Answer: D |

QUESTION 4

Which command would you use to see the available option choices for the show config.http.acl command?

https://www.geekcert.com/ns0-170.html

2024 Latest geekcert NS0-170 PDF and VCE dumps Download

| A. help | |
|--------------------------|--|
| B. show config.http.acl. | |
| C. config.acl help | |
| D. help config.acl | |
| Correct Answer: B | |

QUESTION 5

The default NetCache HTTP administration port is ___ and is a ___ option?

A. 3128, nonconfigurable

B. 3132, configurable

C. 3128, configurable

D. 3132, nonconfigurable

Correct Answer: B

NS0-170 VCE Dumps

NS0-170 Study Guide NS0-170 Exam Questions