



NS0-502^{Q&As}

NetApp Certified Implementation Engineer-SAN and Virtualization

Pass NetApp NS0-502 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/ns0-502.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1


What are two performance tuning parameters available for Fibre Channel HBAs on a host? (Choose two.)


- A. LUN queue depth
- B. HBA BootBIOS enabled
- C. Fibre Channel speed
- D. LUN device ID

Correct Answer: AC

QUESTION 2

Click the Exhibit button.





A Solaris 10 host with VERITAS Storage Foundation 4.1 is FCP attached to a FAS3140 high availability storage system running single image cfmode. Using the diagram shown, which ports will be considered active by VERITAS DMP using the NetApp ASL to a LUN on controller 1 mapped to host 1?

- A. Port 0b on controller 1 only
- B. Port 0d on controller 1 only
- C. Port 0b and 0d on controller 1 only
- D. Ports 0b and 0d on both controller 1 and controller 2

Correct Answer: C

QUESTION 3

What is the functionality of the latest Data ONTAP DSM for Windows?

- A. It can handle FCP and iSCSI paths to the same LUN.
- B. It allows you to take snapshots for both FCP and iSCSI LUNS.
- C. It allows you to enable ALUA on the igroup from the host.
- D. It allows you to create new LUNs from the host.

Correct Answer: A

QUESTION 4

Which configuration for primary block (FC and iSCSI) data does NetApp best practices recommend?(Choose two.)



- A. single controller single shelf
- B. single controller multiple shelves
- C. dual controller single shelf
- D. dual controller multiple shelves

Correct Answer: CD

QUESTION 5

NetApp supports multiple FC paths from the host to the NetApp storage controllers. In addition to using multiple FC switches, which other NetApp supported components should you use for this type of configuration?

- A. multipathing host software, multiple storage controllers with multiple target ports each
- B. HBA with driver and firmware, multiple storage controllers with multiple target ports each
- C. HBA with driver and firmware, multipathing host software, multiple storage controllers with multiple initiator ports each
- D. HBA with driver and firmware, multipathing host software, multiple storage controllers with multiple target ports each

Correct Answer: D

[Latest NS0-502 Dumps](#)

[NS0-502 PDF Dumps](#)

[NS0-502 Exam Questions](#)