



# NS0-502<sup>Q&As</sup>

NetApp Certified Implementation Engineer-SAN and Virtualization

## Pass NetApp NS0-502 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/ns0-502.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Which command do you use to see the rate of change between two successive Snapshot copies in a flexible volume in Data ONTAP?

- A. snap diff
- B. snap calculate
- C. snap delta
- D. snap space

Correct Answer: C

---

### QUESTION 2

What should you do to test NetApp storage controller failover in a high availability FC environment?

- A. shut down the FC switch in the fabric that the storage controller is attached to
- B. shut down FC ports on the FC switch that the storage controller is attached to
- C. pull FC cables connecting the storage controller to the FC switch
- D. issue the takeover command on either storage controller

Correct Answer: D

---

### QUESTION 3

You are about to replace a failed Brocade Fibre Channel switch.

Which three steps do you take prior to connecting the switch in the SAN? (Choose three.)

- A. Force the new switch to be the principle switch.
- B. Change the domain ID of the replacement switch to the domain ID of the failed switch.
- C. Clear all zoning configurations on the replacement switch.
- D. Change the core PID format of the replacement switch to the core PID format of the failed switch.
- E. Preload the zoning information from the fabric onto the new switch.

Correct Answer: BCD

---



#### QUESTION 4

Which three tasks can SnapDrive perform? (Choose three.)

- A. expand LUNs on the fly
- B. perform SnapVault updates of qtrees to a SnapVault destination
- C. utilize SnapMirror to replicate individual qtrees
- D. manage quotas on qtrees
- E. perform iSCSI session management

Correct Answer: ABE

---

#### QUESTION 5

A customer has a four-node SUN cluster configuration. Each node has two, dual-ported HBAs. What is the minimum number of igroups that need to be created to map a LUN to the cluster?

- A. 1
- B. 2
- C. 4
- D. 8

Correct Answer: A

[Latest NS0-502 Dumps](#)

[NS0-502 PDF Dumps](#)

[NS0-502 Braindumps](#)