

NS0-504^{Q&As}

NetApp Certified Implementation Engineer - SAN, Cluster-Mode

Pass NetApp NS0-504 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.geekcert.com/ns0-504.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by NetApp
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



VCE & PDF GeekCert.com

https://www.geekcert.com/ns0-504.html

2024 Latest geekcert NS0-504 PDF and VCE dumps Download

QUESTION 1	
In a Fiber Channel configuration, the host\\'s HBA is referred to as the, as the	and the storage system\\'s HBA to
A. Target, initiator	
B. Primary, secondary	
C. Initiator, target	
D. Secondary, primary	
Correct Answer: C	
QUESTION 2	
Which of these attributes can affect LUN I/) alignment?	
A. The same LUN is present in two igroups with differing ALUA states.	
B. The starting offset of the first file system block on the host.	
C. The LUN is a boot LUN.	
D. The LUN is part of a logical volume.	
Correct Answer: B	
QUESTION 3	
If the security style is set to UNIX, CIFS client file access is determined by	·
A. NT ACLs	
B. the last client to set permissions	
C. the mapped UNIX UID/GID of the CIFS client and the UNIX file permissions	
D. This is not allowed: A CIES client cannot access files in a nath set to a security style	of LINIX

QUESTION 4

Correct Answer: C

Which command do you use to see the rate of change between two successive Snapshot copies in a flexible volume in Data ONTAP?

A. snap diff



https://www.geekcert.com/ns0-504.html

2024 Latest geekcert NS0-504 PDF and VCE dumps Download

- B. snap calculate
- C. snap delta
- D. snap space

Correct Answer: C

QUESTION 5

Which statement best describes the output of this command? sysstat -s 5

- A. Display the default output every five seconds and terminate after five counts.
- B. Display extended output every five seconds and print a summary after five counts.
- C. Display extended output every five seconds and print a summary upon termination.
- D. Display the default output every five seconds and print a summary upon termination.

Correct Answer: D

NS0-504 VCE Dumps

NS0-504 Practice Test

NS0-504 Exam Questions