



# NS0-504<sup>Q&As</sup>

NetApp Certified Implementation Engineer - SAN, Cluster-Mode

## Pass NetApp NS0-504 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/ns0-504.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





#### QUESTION 1

Which command do you use on a Brocade FC switch to view all defined zone configuration information?

- A. cfgActvShow
- B. show zone
- C. cfgshow
- D. switchshow

Correct Answer: A

---

#### QUESTION 2

When using SnapRestore to restore a single LUN, the LUN must be \_\_\_\_\_.

- A. exported and accessible
- B. mapped to a Windows server
- C. mounted on a host
- D. taken offline or unmapped

Correct Answer: D

---

#### QUESTION 3

Using the following path: /users/sales/a1/smith, which are the two possible path types for 1? (Choose two.) Using the following path: /users/sales/a1/smith, which are the two possible path types for ?1? (Choose two.)

- A. a directory
- B. a file
- C. a LUN
- D. a qtree

Correct Answer: AD

---

#### QUESTION 4

What is the maximum distance between a standard clustered pair at 2Gbps?

- A. 10 meters



- B. 50 meters
- C. 100 meters
- D. 500 meters

Correct Answer: D

---

#### QUESTION 5

Which statement correctly describes ALUA concepts on NetApp Storage solutions?

- A. ALUA is a LUN attribute that is set.
- B. ALUA deals with Fibre Channel LUNs and is NOT appropriate for iSCSI.
- C. ALUA can be used for Windows 2003 and Windows 2008 disk management.
- D. A LUN can be mapped to an ALUA-enabled igroup and a non-ALUA-enabled igroup.

Correct Answer: D

[Latest NS0-504 Dumps](#)

[NS0-504 VCE Dumps](#)

[NS0-504 Study Guide](#)