

NS0-504^{Q&As}

NetApp Certified Implementation Engineer - SAN, Cluster-Mode

Pass NetApp NS0-504 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/ns0-504.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by NetApp Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

- 😳 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

In a fabric-attached MetroCluster, a "site failure" is described as a _____.

- A. failure of the Inter-Switch-Links (ISL)
- B. failure of the interconnect cable
- C. complete failure of the primary controller and disk shelves
- D. malfunction of the Fibre Channel adapter on the cluster node

Correct Answer: C

QUESTION 2

SAN LIFs provide which two functions for the vservers? (Choose two)

- A. SAN traffic can utilize the management LIF\\'s on the controllers
- B. One LIF can be used for both iSCSI and FC traffic
- C. Migrate when required for redundancy
- D. Provide connectivity to the host system for MPIO with ALUA path selection
- E. iSCSI and FC LIFs can utilize the same ports on a controller\\'s UTA

Correct Answer: CD

QUESTION 3

In a Fiber Channel configuration, the host\\'s HBA is referred to as the ______, and the storage system\\'s HBA to as the ______.

- A. Target, initiator
- B. Primary, secondary
- C. Initiator, target
- D. Secondary, primary

Correct Answer: C

QUESTION 4

A volume SnapMirror relationship is allowed between two SnapLock Compliance volumes if the destination volume has unexpired WORM files.



A. True

B. False

Correct Answer: B

QUESTION 5

For access to a VMFS datastore created on a NetApp LUN on an ESX 4.0 system for an ALUA configuration, the path selection policy should be set to:

A. MRU (Most Recently Used)

B. Fixed

C. RR (Round Robin)

D. ALUA

Correct Answer: C

Latest NS0-504 Dumps

NS0-504 PDF Dumps

NS0-504 Braindumps