

OA0-002^{Q&As}

Android Application Engineer Certifications Basic

Pass Android OA0-002 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.geekcert.com/oa0-002.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Android
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



https://www.geekcert.com/oa0-002.html 2024 Latest geekcert OA0-002 PDF and VCE dumps Download

QUESTION 1

Which o	f these is	the correc	rt function	of Trac	review?

- A. Displays a graphical task execution log.
- B. Displays graphically a memory acquisition and release log
- C. Displays graphically the call stack.
- D. Displays graphically the UI state hierarchy.

Correct Answer: A

QUESTION 2

Which is the required plugin to develop Android with Eclipse?

- A. ADT
- B. AJDT
- C. CDT
- D. RDT

Correct Answer: A

QUESTION 3

Which of these is the correct explanation of the Android Asset Packaging Tool (AAPT)?

- A. It automatically generates an ID for resource files in the asset folder.
- B. It creates Android bytecode from a class file.
- C. It is a tool required when using an external library.
- D. It can create new zip compatible archive files.

Correct Answer: D

QUESTION 4

Which is the incorrect explanation of an Activity?

- A. If another Activity is instantiated when the Activity is executed, onPause() will be executed.
- B. When the Activity is displayed in the foreground, onResume() will be executed.



https://www.geekcert.com/oa0-002.html

2024 Latest geekcert OA0-002 PDF and VCE dumps Download

- C. When the Activity is displayed again, onRestart() will be executed instead of onStart().
- D. When the Activity returns from an onPause(), it sometimes can execute from onCreate().

Correct Answer: C

QUESTION 5

Which of these is the incorrect explanation regarding the private key when an application is published?

- A. RSA cannot be used as the encryption algorithm for key creation
- B. Can be created by using keytool
- C. The debug key created by the SDK tool cannot be used
- D. Can store several keys in 1 key store file

Correct Answer: A

OA0-002 PDF Dumps

OA0-002 VCE Dumps

OA0-002 Study Guide