



P2090-078^{Q&As}

IBM InfoSphere MDM Standard Edition Technical Mastery Test v1

Pass IBM P2090-078 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/p2090-078.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Which field is an internal identifier that is generated by the Hub?

- A. MemRecNo
- B. MemIdNum
- C. MemSeqNo
- D. MemIdent

Correct Answer: A

QUESTION 2

What are anonymous values used for?

- A. To treat common default values as if they were NULL (like, BABYBOY and BABYGIRL)
- B. To see if people are using common alias names (like, ED and CHUCK)
- C. To treat common nicknames as if they were the formal names (like, CHUCK converting to CHARLES)
- D. To help protect the data and privacy of customer data (like, sorting the digits in a Social Security Number so it is unrecognizable)

Correct Answer: A

QUESTION 3

Which of these is NOT a valid input for deriving data (assuming nothing else has changed in your configuration)?

- A. A text file containing the original source extract
- B. Existing binary files
- C. Existing UNL files
- D. Existing data in the Hub database

Correct Answer: B

QUESTION 4

What are the StLine1, StLine2, City, State, and ZipCode tokens of an Address called?

- A. Segments



B. Attributes

C. Fields

D. Members

Correct Answer: C

QUESTION 5

Which table would store Edit Distance weights for comparing Driver\\'s License combined with a Postal Code?

A. mpi_wgt2dim

B. mpi_wgtHead

C. mpi_wgt1dim

D. mpi_wgtNval

Correct Answer: A

[P2090-078 VCE Dumps](#)

[P2090-078 Study Guide](#)

[P2090-078 Braindumps](#)