



PGCES-02^{Q&As}

PostgreSQL CE 8 Silver

Pass PostgreSQL-CE PGCES-02 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/pgces-02.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by PostgreSQL-CE Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Select one incorrect statement from the below about a database cluster.

- A. It is possible to have multiple databases within a database cluster.
- B. A database cluster is created using initdb command.
- C. Each host can have only one database cluster.
- D. Special databases called template0 and template1 are created in a database cluster by default.
- E. When a database cluster is created, a database superuser is registered using the username of the OS at the time of creation unless otherwise designated.

Correct Answer: C

QUESTION 2

Select two incorrect descriptions regarding the following SQL statements. CREATE TABLE cities (name

text, population

float

);

CREATE TABLE capitals (

state char(2)

) INHERITS (cities);

- A. Defines the tables called "cities" and "capitals".
- B. "capitals" inherits "cities".
- C. Searching "capitals" also searches rows in "cities".
- D. The columns "name" and "population" are also defined in "capitals".
- E. The second SQL statement results in an error, since the '\\INHERITS\\' keyword is no longer available.

Correct Answer: CE

QUESTION 3

Given the following two table definitions, select one SQL statement which will cause an error.

CREATE TABLE sample1 (id INTEGER, data TEXT);



CREATE TABLE sample2 (id INTEGER);

A. SELECT s1.id FROM sample1 s1;

B. SELECT s1.id FROM sample1 AS s1;

C. SELECT data FROM sample1 AS s1, sample2 AS s2 WHERE s1.id = 1 AND s2.id = 2;

D. SELECT id, data FROM sample1 AS s1, sample2 AS s2 WHERE s1.id = s2.id;

E. SELECT s1.id, s1.data FROM sample1 AS s1, sample2 AS s2 WHERE s1.id = s2.id;

Correct Answer: D

QUESTION 4

What does the following command do? Choose two incorrect statements from the selection below.

Note: \$ is the command prompt.

\$ pg_restore -U postgres -d database1 database1.dump

A. This command restores the database database1 from the file database1.dump.

B. This command connects to a database as the user '\\postgres\\'.

C. This command can not be executed unless the postmaster is running.

D. This command can not restore large objects.

E. This command must be executed under the condition where the database database1 does not exist.

Correct Answer: DE

QUESTION 5

Select the SQL command that must be executed prior to executing the EXECUTE command.

A. CREATE FUNCTION

B. PREPARE

C. DECLARE

D. LOAD

E. ALLOCATE

Correct Answer: B
