



PGCES-02^{Q&As}

PostgreSQL CE 8 Silver

Pass PostgreSQL-CE PGCES-02 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/pgces-02.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by PostgreSQL-CE Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

The following SQL defines an INSERT with respect to item_view. Select the keyword that is applicable in the underlined blank. CREATE foo AS ON INSERT TO item_view DO INSTEAD INSERT INTO item_table VALUES (NEW.id, NEW.itemname);

- A. RULE
- B. VIEW
- C. TRIGGER
- D. FUNCTION
- E. CONSTRAINT

Correct Answer: A

QUESTION 2

Select an incorrect statement regarding the following SQL statement. Note that "user_view" is a view. CREATE OR REPLACE RULE rule_1 AS ON UPDATE TO user_view DO INSTEAD NOTHING;

- A. It is defining a rule "rule_1".
- B. It will replace "rule_1" if it already exists.
- C. Executing `\\UPDATE user_view\\` will no longer output errors.
- D. When executing `\\UPDATE user_view\\`, data is updated in the table that is the origin of the view.
- E. `\\DROP RULE rule_1 ON user_view\\` deletes the above definition.

Correct Answer: D

QUESTION 3

Select two correct statements about the command shown below. Note: \$ is the command prompt. \$ dropdb -U foo foodb

- A. If foo doesn't have the OS superuser privilege, an error will occur.
- B. If any table definition remains in database foodb, an error will occur.
- C. This command removes database foodb.
- D. This command removes all of the objects inside the database foodb.
- E. The same process can be performed using the SQL command "DROP DATABASE".

Correct Answer: CE



QUESTION 4

Given the following two table definitions, select one SQL statement which will cause an error.

```
CREATE TABLE sample1 (id INTEGER, data TEXT);
```

```
CREATE TABLE sample2 (id INTEGER);
```

- A. SELECT id AS data, data FROM sample1;
- B. SELECT id, id FROM sample1;
- C. SELECT s1.id, s2.id FROM sample1 AS s1, sample1 AS s2;
- D. SELECT s1.id, s2.id FROM sample1 s1, sample2 s2;
- E. SELECT s1.id, s2.data FROM sample1 s1, sample2 s2;

Correct Answer: E

QUESTION 5

The "sample" table consists of the following data. How many rows are returned by executing the following SQL statement?

```
SELECT i FROM sample GROUP BY i;
```

- A. 1 row
- B. 2 rows
- C. 3 rows
- D. 4 rows
- E. 5 rows

Correct Answer: C

[Latest PGCES-02 Dumps](#)

[PGCES-02 PDF Dumps](#)

[PGCES-02 Braindumps](#)