

PW0-070^{Q&As}

Certified Wireless Technology Specialist

Pass CWNP PW0-070 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.geekcert.com/pw0-070.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by CWNP
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



https://www.geekcert.com/pw0-070.html 2024 Latest geekcert PW0-070 PDF and VCE dumps Download

QUESTION 1

Which of the following methods will free up bandwidth in a Wireless LAN (WLAN)?

- A. Implement WEP.
- B. Change hub with switch.
- C. Deploying a powerful antenna.
- D. Disabling SSID broadcast.

Correct Answer: D

QUESTION 2

In which of the following situations, a Yagi antenna (or Yagi-Uda antenna) is used?

- A. To enable laptops to connect to WAP.
- B. To bridge Wireless Access Points (WAPs).
- C. To increase the WLAN coverage area.
- D. To connect wireless hosts to WAP.

Correct Answer: B

QUESTION 3

Which of the following statements are true about SSIDs? Each correct answer represents a complete solution. Choose all that apply.

- A. Configuring the same SSID as that of the other Wireless Access Points (WAPs) of other networks will create a conflict.
- B. SSID is used to identify a wireless network.
- C. All wireless devices on a wireless network must have the same SSID in order to communicate wit each other.
- D. SSIDs are case insensitive text strings and have a maximum length of 64 characters.

Correct Answer: ABC

QUESTION 4

How many access points does an independent basic service set (IBSS) consist of?

A. 3



https://www.geekcert.com/pw0-070.html 2024 Latest geekcert PW0-070 PDF and VCE dumps Download

B. 2

C. 0

D. 1

Correct Answer: C

QUESTION 5

Which of the following configurations for wireless LANs has many access points?

A. ESS

B. IESS

C. BSS

D. IBSS

Correct Answer: A

PW0-070 PDF Dumps

PW0-070 Study Guide

PW0-070 Exam Questions