PW0-104^{Q&As}

Wireless LAN Administration Exam

Pass CWNP PW0-104 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/PW0-104.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by CWNP
Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

Given: You are on-site to perform a post-deployment site survey. When verifying a multiple channel VoWiFi deployment using a VoWiFi handset, which aspect is most important?

A. Performing protocol analysis with a single wireless adapter that is scanning all channels in use

B. Testing a constant conversation or handset tone while roaming from area to area, or performing an active survey

C. Configuring DSCP-to-802.11e QoS maps on the handset for each access category.

D. Verifying the orientation/polarity of all omni-directional antennas in use by the VoWiFi clients.

Correct Answer: B

QUESTION 2

What is the approximate beamwidth of the antenna displayed in the exhibit?

A. 15 degrees

B. 30 degrees

C. 50 degrees

D. 70 degrees

E. 120 degrees

Correct Answer: B

QUESTION 3

Which IEEE 802.11 physical layer (PHY) specifications include support for and compatibility of both OFDM and HR/DSSS? (Choose 2)

A. HR/DSSS (802.11b)

B. OFDM (802.11a)

C. ERP (802.11g)

D. HT (802.11n)

E. CCK (802.11b)

F. PBCC (802.11g)

Correct Answer: CD

QUESTION 4

How is throughput capacity scaled in a single channel architecture (SCA) WLAN system?

A. By increasing transmit power and placing APs that are on a single channel farther from one another.

B. By adding more SSIDs to existing APs to spread users across different contention domains.

C. By adding APs to increase the number of non-overlapping channel layers.

D. By using downlink data compression and uplink flow control at the AP.

E. By using a single 802.11n radio to transmit simultaneous downlink data streams to different users.

Correct Answer: C

QUESTION 5

Given: In a single channel architecture (SCA) WLAN system, 802.11n (HT) APs should not share an SSID with 802.11g (ERP) APs.

What is the reason for this recommendation?

A. Client stations would see two different sets of AP capabilities as they roam between APs with the same BSSID.

B. The added range of 802.11n APs would cause additional co-channel interference.

C. The additional beacon material in 802.11n beacons would confuse 802.11b/g client stations.

D. Beacons from 802.11n APs use 40 MHz channels, while beacons from 802.11g APs use 20 MHz channels.

Correct Answer: A

[Latest PW0-104 Dumps](#)   [PW0-104 Practice Test](#)   [PW0-104 Study Guide](#)

To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications.
You can view Vendor list of All Certification Exams offered:

https://www.geekcert.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket:

One Year Free Update

Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.

Money Back Guarantee

To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.

Security & Privacy

We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.