



# PW0-105<sup>Q&As</sup>

Certified Wireless Network Administrator (CWNA)

**Pass CWNP PW0-105 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/pw0-105.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by CWNP  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

Which antenna types are commonly used by indoor Wi-Fi devices in a MIMO diversity implementation? (Choose two)

- A. Dipole
- B. Patch
- C. Dish
- D. Grid
- E. Sector


Correct Answer: AB

### QUESTION 2

Given the Wi-Fi certification shown in the exhibit, what statement is FALSE about this device?

**Wi-Fi CERTIFIED™ Interoperability Certificate**

Certification ID: WFA11082



This certificate lists the capabilities and features that have successfully completed Wi-Fi Alliance interoperability testing. Additional information about Wi-Fi Alliance certification programs is available at [www.wi-fi.org/certification\\_programs.php](http://www.wi-fi.org/certification_programs.php).

Tested Spatial Streams	Dual-Band Selectable	
	2.4 GHz	5.0 GHz
Transmit	1	1
Receive	1	1

Certificate Date: March 04, 2011  
Company: [REDACTED]  
Product: [REDACTED]  
Model/SKU #: [REDACTED]  
Category: Tablet

IEEE Standard	Security	Multimedia	Convergence
IEEE 802.11a IEEE 802.11b IEEE 802.11g IEEE 802.11n IEEE 802.11h	WPA® - Enterprise, Personal WPA2® - Enterprise, Personal  <u>Vendor EAP Type(s)</u> EAP-TLS EAP TTLS/MSCHAPv2 PEAPv0/EAP-MSCHAPv2 PEAPv1/EAP-GTC	WMM®	CWG-RF

- A. This client device supports protection mechanisms such as RTS/CTS and/or CTS-to-Self.
- B. This client device supports both TKIP and CCMP cipher suites.



- C. 300 Mbps is the maximum supported data rate for this device.
- D. This client device supports the ERP, OFDM, and HT physical layer specifications.
- E. This client device supports X.509 certificates for EAP authentication.

Correct Answer: C

---

### QUESTION 3

When performing a site survey for a Multiple Channel Architecture (MCA) system in a multi-tenant building with six floors, what aspect should you, as the site surveyor, keep in mind?

- A. All doors and windows in the building should be open during the site survey to assess maximum coverage range.
- B. The omni-directional antennas of the access points should be oriented parallel to the floor to maximize the coverage pattern across as many floors as possible.
- C. The channel reuse pattern should be three dimensional with the RF cell extending coverage of each access point to other floors.
- D. The Fresnel Zone is completely blocked between floors so each floor is considered a separate site survey.

Correct Answer: C

---

### QUESTION 4

Given: Network users and IT personnel at a large machinery manufacturer have been discussing the potential uses and benefits of implementing an indoor WLAN. The network administrator and network manager have requested a meeting of senior management personnel to discuss a WLAN implementation before taking any site survey or implementation steps. The first order of discussion in the meeting is corporate policy concerning implementation and use of WLAN technology.

What specific topics are appropriate in this policy meeting? (Choose two)

- A. Vendor hardware recommendations
- B. Business justification
- C. User productivity impact
- D. Antenna types
- E. Obtaining permits and zoning requirements

Correct Answer: BC

---

### QUESTION 5

Which data rate is supported by 802.11g radios that is not supported by 802.11a radios?

- A. 9 Mbps



- B. 11 Mbps
- C. 12 Mbps
- D. 54 Mbps
- E. 65 Mbps
- F. 130 Mbps

Correct Answer: B

[Latest PW0-105 Dumps](#)

[PW0-105 Study Guide](#)

[PW0-105 Exam Questions](#)