



PW0-105^{Q&As}

Certified Wireless Network Administrator (CWNA)

Pass EC-COUNCIL PW0-105 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/pw0-105.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EC-COUNCIL Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Given: As you prepare for a site survey in a hospital, you have learned about several wireless devices that support connection-oriented, real-time applications. These applications are sensitive to service interruptions and require excellent signal quality, low latency, and low loss. For that reason, it is important to identify sources of RF interference as well as building characteristics that would cause RF blockage or dead spots.

What systems or environmental characteristics are most likely to cause interference or RF blockage and disrupt service for these applications? (Choose two)

- A. Microwave ovens
- B. Long hallways
- C. Elevator shafts
- D. RFID chokepoints
- E. Drywall offices

Correct Answer: AC

QUESTION 2

ABC Company is planning a point-to-multipoint outdoor bridge deployment with standalone (autonomous)

802.11 bridge units. 802.1X/EAP will be used for bridge authentication. What device in the bridge implementation acts as the 802.1X Authenticator?

- A. The RADIUS server
- B. All non-root bridges
- C. A designated non-root bridge
- D. The root bridge
- E. The Ethernet switch

Correct Answer: D

QUESTION 3

Given:

You were previously on-site at ABC's facility to conduct a pre-deployment RF site survey. The WLAN has been deployed according to your recommendations and you are on-site again to perform a network validation.



When performing this type of post-deployment RF site survey for VoWiFi, what are two steps that must be performed? (Choose two)

- A. Coverage analysis to verify appropriate coverage and roaming boundaries
- B. Spectrum analysis to locate and identify RF interference sources
- C. Hidden node analysis to identify and relocate existing hidden nodes
- D. Protocol analysis to discover channel use on neighboring APs
- E. Application analysis with an active phone call on a VoWiFi handset

Correct Answer: AE

QUESTION 4

What are two channel modes specified by the 802.11n (High Throughput) PHY? (Choose two)

- A. 20 MHz
- B. 20/40 MHz
- C. 5/10 MHz
- D. 22 MHz
- E. 80 MHz
- F. 160 MHz

Correct Answer: AB

QUESTION 5

What factor is NOT taken into account when calculating the Link Budget of a point-to-point outdoor WLAN bridge link?

- A. Operating frequency
- B. Transmit antenna gain
- C. Transmit power
- D. Antenna height
- E. Receive sensitivity
- F. Distance

Correct Answer: D



VCE & PDF

GeekCert.com

<https://www.geekcert.com/pw0-105.html>

2024 Latest geekcert PW0-105 PDF and VCE dumps Download

[PW0-105 PDF Dumps](#)

[PW0-105 VCE Dumps](#)

[PW0-105 Practice Test](#)