



RH133^{Q&As}

Red Hat Linux System Administration

Pass RedHat RH133 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/rh133.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by RedHat
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





QUESTION 1

Which of the following files contains configuration data for automount?

- A. automount
- B. automaster
- C. auto.mount
- D. auto.master

Correct Answer: D

QUESTION 2

Which of the following commands is used to specify that the gpm service should be executed at run level 3?

- A. chkconfig -- level 3 gpm on
- B. chkconfig --level 3 gpm
- C. chkconfig level 3 gpm
- D. chkconfig

Correct Answer: A

QUESTION 3

Drag and drop the appropriate command in front of its respective function.

Select and Place:

Correct Answer:



1.This is used to extract the quota information for a user from the various filesystems with quotas enabled.	Drop Here			
2.This is used to check the disk quota for each filesystem and to mail a warning message to a user who has reached his/her softlimit.	Drop Here			
3.This announces to the system that disk quotas should be enabled on one or more filesystems.	Drop Here			
4.This is used to print a summary of quotas and disk usage for a file system specified by the filesystem parameter.	Drop Here			
5.This examines each filesystem, builds a table of current disk usage, and compares this table against that is stored in the disk quota file for the filesystem.	Drop Here			
<code>edquota</code>	<code>warnquota</code>	<code>quotaon</code>	<code>mqquota</code>	<code>quotacheck</code>

1.This is used to extract the quota information for a user from the various filesystems with quotas enabled.	<code>edquota</code>			
2.This is used to check the disk quota for each filesystem and to mail a warning message to a user who has reached his/her softlimit.	<code>warnquota</code>			
3.This announces to the system that disk quotas should be enabled on one or more filesystems.	<code>quotaon</code>			
4.This is used to print a summary of quotas and disk usage for a file system specified by the filesystem parameter.	<code>mqquota</code>			
5.This examines each filesystem, builds a table of current disk usage, and compares this table against that is stored in the disk quota file for the filesystem.	<code>quotacheck</code>			
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

QUESTION 4

Which of the following runlevel values is used to halt the Linux operating system?

A. 0

B. 3

C. 1

D. 2

Correct Answer: A

QUESTION 5

Drag and drop the appropriate command in front of its respective function.



Select and Place:

1. It is used to search for patterns within one or more files.	Drop Here			
2. It searches through one or more directory tree(s) of a filesystem, locating files based on some user-specified criteria.	Drop Here			
3. It is used to compare the contents of two files or each corresponding file in two directories and display the differences between them.	Drop Here			
4. It is used to display the last few lines of a text file or piped data.	Drop Here			
5. It is used to view the recently executed commands.	Drop Here			
<input type="button" value="grep"/>	<input type="button" value="find"/>	<input type="button" value="diff"/>	<input type="button" value="tail -f"/>	<input type="button" value="history"/>

Correct Answer:

1. It is used to search for patterns within one or more files.	<input type="button" value="grep"/>			
2. It searches through one or more directory tree(s) of a filesystem, locating files based on some user-specified criteria.	<input type="button" value="find"/>			
3. It is used to compare the contents of two files or each corresponding file in two directories and display the differences between them.	<input type="button" value="diff"/>			
4. It is used to display the last few lines of a text file or piped data.	<input type="button" value="tail -f"/>			
5. It is used to view the recently executed commands.	<input type="button" value="history"/>			
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

[RH133 VCE Dumps](#)

[RH133 Study Guide](#)

[RH133 Braindumps](#)