



# A00-215<sup>Q&As</sup>

SAS 9.4 Programming Fundamentals Exam

## Pass SASInstitute A00-215 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/a00-215.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by SASInstitute Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





**QUESTION 1**

Given the report shown below:

**The FREQ Procedure**

Make	Drive Train			
	All	Front	Rear	Total
	Mercedes-Benz	6 15.79 23.08 54.55	0 0.00 0.00 0.00	20 52.63 76.92 100.00
Volvo	5 13.16 41.67 45.45	7 18.42 58.33 100.00	0 0.00 0.00 0.00	12 31.58
<b>Total</b>	<b>11</b> 28.95	<b>7</b> 18.42	<b>20</b> 52.63	<b>38</b> 100.00

Which PROC FREQ step creates the frequency report?

- A. proc freq data= cars;  
tables make drivetrain;  
run;
- B. proc freq data= cars; tables make \*drivetrain; run;
- C. proc freq data= cars; tables drivetrain make; run;
- D. proc freq data= cars; tables drivetrain\* make; run;

Correct Answer: D

**QUESTION 2**

The data set Snacks contains three variables (productName, Flavor, and Price). Given the program shown below:

```
data ChipsPopcorn;
  set Snacks;
  SnackType = "Chips";
  length SnackType $ 7;
run;
```

What is the type and length of SnackType?

- A. Numeric, 8



- B. Character, 7
- C. Character, 8
- D. Character, 5

Correct Answer: A

---

### QUESTION 3

Which statement is true regarding the SET statement?

- A. The SET statement specifies an input data set in the DATA step.
- B. The SET statement specifies an output data set in the PROC SORT step.
- C. The SET statement specifies an input data set in the PROC SORT step.
- D. The SET statement specifies an output data set in the DATA step.

Correct Answer: C

---

### QUESTION 4

Which statements read the input data set SASHELP.SHOES and create the output data set WORK.TOTAL?

- A. data sashelp.shoes; out work.total;
- B. data sashelp.shoes; output work.total;
- C. data work.total; set sashelp.shoes;
- D. data out=work.total; input sashelp.shoes

Correct Answer: A

---

### QUESTION 5

Given the input data set WORK.RUN:

name	miles
John	16
Mary	20

Given the following DATA step:



```
data work.run2;  
  set work.run;  
  do weeks=1 to 3;  
    miles=miles+5;  
  end;  
run;
```

What is the correct output data set WORK.RUN2?

A.

name	miles	weeks
John	21	1
John	26	2
John	31	3
John	.	4
Mary	25	1
Mary	30	2
Mary	35	3
Mary	.	4

B.

name	miles	weeks
John	21	1
John	26	2
John	31	3
Mary	25	1
Mary	30	2
Mary	35	3

C.

name	miles	weeks
John	31	4
Mary	35	4

D.

name	miles	weeks
John	31	3
Mary	35	3



A. Option A

B. Option B

C. Option C

D. Option D

Correct Answer: D

[Latest A00-215 Dumps](#)

[A00-215 Study Guide](#)

[A00-215 Exam Questions](#)