



ACE-A1.2^{Q&As}

Arista Certified Engineering Associate

Pass Arista ACE-A1.2 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/ace-a1-2.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Arista
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which of the following are valid interpreters with which to write ZTP scripts?

- A. #!/bin/bash
- B. #!/usr/bin/python
- C. #!/usr/bin/FastCli
- D. #!/usr/bin/perl

Correct Answer: B

QUESTION 2

When configuring MLAG, Arista recommends that the trunk group command be used on the VLAN used for MLAG peer communication.

What is the purpose of the trunk group command?

- A. It groups all the trunks together so that they can traverse the peer-link properly.
- B. It groups the MLAG interfaces together so that they can be reported on both peers.
- C. It prevents the configured VLAN from leaking out onto other trunks.
- D. It ensures that the configured VLAN will be included on all trunks.

Correct Answer: A

QUESTION 3

What does the asterisk in the following output signify?

```
Arista(config)#show vlan
VLAN      Name      Status   Ports
----      -
1         default   active   Et1, Et19, Et20, Et21, Et22
          Et23, Et24
201*      VLAN0201  active
```

- A. The VLAN was created by VTP.
- B. The VLAN was created by default.
- C. The VLAN was created dynamically.



D. The VLAN is scheduled for removal by VMTracer.

Correct Answer: C

QUESTION 4

When using Monitor Sessions with a destination of the CPU, it is impossible to forward an entire 10Gbps worth of traffic due to internal COPP policies.

How might you successfully use this feature given these constraints?

- A. You just have to live with it.
- B. Use packet truncation.
- C. Use ACL filters applied to the mirror session.
- D. Buy a switch with a larger TCAM.

Correct Answer: C

QUESTION 5

What is the EOS feature that allows switches with Multi-Switch CLI enabled to send non-interactive commands to multiple switches at once?

- A. groups
- B. switch-groups
- C. chat-rooms
- D. chat-groups

Correct Answer: B

[ACE-A1.2 Practice Test](#)

[ACE-A1.2 Study Guide](#)

[ACE-A1.2 Braindumps](#)