



ACE-A1.2^{Q&As}

Arista Certified Engineering Associate

Pass Arista ACE-A1.2 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/ace-a1-2.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Arista
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

When ZTP is in enable mode, what triggers ZTP when the switch boots?

- A. A missing or zero-byte SWI image.
- B. A missing or zero-clue administrator.
- C. A missing or zero-byte startup-config file
- D. A missing or zero-byte running-config file

Correct Answer: C

Reference: https://eos.arista.com/ztp-set-up-guide/#ZTP_Boot

QUESTION 2

How might you filter the output from the show interfaces counters errors command to be more useful by removing lines containing all zeroes?

- A. show interfaces counters errors | grep nozeroes
- B. show interfaces counters errors | grep pipe nozeroes
- C. show interfaces counters errors | email tac@arista.com
- D. show interfaces counters errors | nz

Correct Answer: D

Reference: <https://eos.arista.com/introduction-to-managing-eos-devices-annex-b-eos-tips-for-power-users/>

QUESTION 3

Many Arista switches support reversible air flow. When the fans installed on such a switch have red handles, which of the following statements would be correct?

- A. Cold air will be pulled in from the port side of the switch.
- B. Warm air will be pulled in from the starboard side of the switch.
- C. Hot air will be pulled in from the fan side of the switch.
- D. Hot air will be ejected from the fan side of the switch.

Correct Answer: D

Reference: https://www.arista.com/assets/data/docs/Manuals/QSG/QS_7000-Gen3_Color.pdf (page 5)



QUESTION 4

What is the EOS command that allows Arista switches with Multi-switch CLI enabled to send interactive commands to multiple switches at once?

- A. xmpp group
- B. xmpp send switch-group
- C. xmpp session
- D. xmpp session-name

Correct Answer: C

Reference: <https://www.arista.com/en/um-eos-4172f/eos-section-2-5-session-management-commands>

QUESTION 5

What is the name of the feature that allows the destination of a monitor session to be the CPU?

- A. Mirroring
- B. Advanced Mirroring
- C. CPU Mirroring
- D. Super-Mirror

Correct Answer: C

Reference: <https://www.arista.com/docs/Manuals/QuickStart-Managing7150Series.pdf> (page 26)

[ACE-A1.2 PDF Dumps](#)

[ACE-A1.2 Study Guide](#)

[ACE-A1.2 Exam Questions](#)