



# ACE-A1.2<sup>Q&As</sup>

Arista Certified Engineering Associate

## Pass Arista ACE-A1.2 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/ace-a1-2.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Arista  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





#### QUESTION 1

Which password setting controls the Privilege Exec mode on an Arista switch?

- A. boot password
- B. enable secret
- C. management secret
- D. enable

Correct Answer: B

---

#### QUESTION 2

What is Adaptive Segmentation?

- A. The ability for VMTracer to dynamically create VLANs based on the VLANs in use on VMs.
- B. The ability to support multiple vCenter instances.
- C. The ability for an Arista switch to run VMs on the switch itself.
- D. The ability to split the switch into multiple virtual switches.

Correct Answer: A

Reference: <https://www.arista.com/assets/data/pdf/TechBulletins/VMTracerOverview.pdf> (page 4)

---

#### QUESTION 3

Which of the following Arista switch series support reversible airflow?

- A. 7150
- B. 7250QX
- C. 7010
- D. 7300

Correct Answer: D

Reference: <https://www.arista.com/en/products/7300-series>

---

#### QUESTION 4

What will the following command do?



show event-monitor arp | grep 10.100.100.6

A. Show all the historical ARP entry changes on the remote Arista switch located at IP address

10.100.100.6

B. Show all the event-monitors for a switch that has an ARP address matched to the IP address

10.100.100.6

C. Show all historical ARP entry changes that contain the IP address 10.100.100.6

D. This is not a valid command

Correct Answer: C

---

### QUESTION 5

What does %1 signify when writing an alias statement in CLI?

A. It means that Arista is number one.

B. %1 is a placeholder that will be replaced with token 1 when the alias is called.

C. It doesn't mean anything.

D. %1 means that the CPU is limited to 1% when the alias is called.

Correct Answer: B

Reference: <https://eos.arista.com/find-the-next-free-vlan-id/>

[Latest ACE-A1.2 Dumps](#)

[ACE-A1.2 PDF Dumps](#)

[ACE-A1.2 Practice Test](#)