



Advanced Cardiac Life Support

Pass Test Prep ACLS Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/acls.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Test Prep Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

- 😳 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

SIMULATION

What kind of valve should the bag-valve-mask have?

A. A nonjam valve that allows a maximum of oxygen inlet flow of 15 l/min.

Correct Answer: A

QUESTION 2

After initiating CPR, which one of the following treatments should be used first for treating ventricular fibrillation?

- A. intubation
- B. defibrillation
- C. epinephrine IV
- D. lidocaine IV
- Correct Answer: B

QUESTION 3



Identify the rhythm by selecting the best single answer:

- A. Normal sinus rhythm
- B. Sinus tachycardia
- C. Sinus bradycardia




- D. Reentry supraventricular tachycardia
- E. First-degree AV Block
- F. Second-degree AV Block (Mobitz 1 Wenckebach)
- G. Second-degree AV Block (Mobitz II Block)
- H. Third-degree AV Block
- I. Atrial fibrillation
- J. Atrial flutter
- K. Monomorphic ventricular tachycardia
- L. Polymorphic ventricular tachycardia
- M. Coarse ventricular fibrillation
- N. Fine ventricular fibrillation
- O. Agonal rhythm/asystole
- P. Pulseless electrical activity
- Correct Answer: C

QUESTION 4

SIMULATION

The patient has been in the following rhythm for 2? minutes. Treatment?



A. CPR, epinephrine, atropine, consider transcutaneous pacemaker. (The rhythm above shows asystole.)

Correct Answer: A

QUESTION 5



FILL BLANK

What is the legal term for providing emergency care when the patient does not consent to the treatment?

A. Assault

Correct Answer: A

ACLS Study Guide

ACLS Exam Questions

ACLS Braindumps