



ACLS^{Q&As}

Advanced Cardiac Life Support

Pass Test Prep ACLS Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/acls.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Test Prep
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1


FILL BLANK

What is the treatment for verapamil overdose?

A. Calcium chloride.

Correct Answer: A

QUESTION 2



Identify the rhythm by selecting the best single answer:

- A. Normal sinus rhythm
- B. Sinus tachycardia
- C. Sinus bradycardia
- D. Reentry supraventricular tachycardia
- E. First-degree AV Block
- F. Second-degree AV Block (Mobitz 1 Wenckebach)
- G. Second-degree AV Block (Mobitz II Block)
- H. Third-degree AV Block
- I. Atrial fibrillation
- J. Atrial flutter



- K. Monomorphic ventricular tachycardia
- L. Polymorphic ventricular tachycardia
- M. Coarse ventricular fibrillation
- N. Fine ventricular fibrillation
- O. Agonal rhythm/asystole
- P. Pulseless electrical activity

Correct Answer: N

QUESTION 3

SIMULATION

Describe the function of platelets within the cardiovascular system.

- A. Platelets are essential for the formation of blood clots.

Correct Answer: A

QUESTION 4


FILL BLANK

An overdose patient is unresponsive with spontaneous respirations. In what position should they be placed?

- A. Recovery position.

Correct Answer: A

QUESTION 5





A patient in the ED develops recurrent chest discomfort (8/10) suspicious for ischemia. His monitored rhythm becomes irregular as seen above. Oxygen is being administered by nasal cannula at 4 L/min and an intravenous line is patent. Blood pressure is 160/96 mmHg. There are no allergies or contraindications to any medication. You would first order

- A. Lidocaine 1 mg/kg IV and infusion 2 mg/min
- B. Morphine sulfate 2 to 4 mg IV
- C. Nitroglycerin 0.4 mg SL
- D. Amiodarone 150 mg IV
- E. Intravenous nitroglycerin initiated at 10 ug/min and titrated

Correct Answer: C

[ACLS PDF Dumps](#)

[ACLS Study Guide](#)

[ACLS Braindumps](#)