



ACLS^{Q&As}

Advanced Cardiac Life Support

Pass Test Prep ACLS Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/acls.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Test Prep
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

FILL BLANK

A patient with ventricular fibrillation has been resuscitated using no antiarrhythmic drugs. Once the pulse is restored, what drugs should be provided?

A. Oxygen and intravenous lidocaine

Correct Answer: A

QUESTION 2

FILL BLANK

What is the single most important maneuver to ensure an open airway in a child with a suspected head and neck injury?

A. The modified jaw thrust

Correct Answer: A

QUESTION 3


FILL BLANK

At what pressure should the inspiratory pressure relief valve activate on a flow-restricted oxygen-powered ventilation device?

A. 60 cc/water

Correct Answer: A

QUESTION 4



You arrive on-scene to find CPR in progress. Nursing staff report that the patient was recovering from a pulmonary embolism and suddenly collapsed. There is no pulse or spontaneous respirations. High-quality CPR is in progress, and effective ventilation is being provided with bag-mask. An IV has been initiated. You would now

- A. Initiate transcutaneous pacing
- B. Give epinephrine 1.0 mg IV
- C. Order immediate endotracheal intubation
- D. Give atropine 0.5 mg IV
- E. Give atropine 1 mg IV

Correct Answer: B

QUESTION 5

Dopamine infused at greater than 10 mcg/kg/min will cause (Choose three):

- A. increased myocardial contractility
- B. peripheral arterial vasoconstriction
- C. renal artery vasoconstriction
- D. respiratory depression

Correct Answer: ABC

[Latest ACLS Dumps](#)

[ACLS VCE Dumps](#)

[ACLS Practice Test](#)