



ACMA_6.3^{Q&As}

Aruba Certified Mobility Associate 6.3

Pass HP ACMA_6.3 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/acma_6-3.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which of the following cannot be accomplished from the startup wizard?

- A. Basic controller configuration
- B. License installation
- C. VPN configuration
- D. WLAN configuration
- E. Firewall Roles

Correct Answer: C

QUESTION 2

What is NOT a basic configuration in the startup wizard when configuring a WLAN?

- A. SSID
- B. VLAN
- C. Radio Type
- D. Antenna Type
- E. Firewall Role

Correct Answer: D

QUESTION 3

In what order does the AP dynamically discover the Master controller?

- A. DNS query, ADP Broadcast, ADP Multicast, DHCP option 43
- B. DHCP option 43, ADP Multicast, ADP Broadcast, DNS query
- C. DHCP option 43, DNS query, ADP Multicast, ADP Broadcast
- D. ADP Multicast, ADP Broadcast, DHCP option 43, DNS query
- E. DHCP option 43, ADP Broadcast, ADP multicast, DNS Query

Correct Answer: B

QUESTION 4



Which of the following is true of an Aruba Mobility Controller acting as a layer 2 switch? (Select two):

- A. The Mobility Controller is the client's default router.
- B. The Mobility Controller acts as a bridge.
- C. All stations must use the same VLAN
- D. Uplink ports on the Mobility Controller can use 802.1q tagging
- E. VLANs cannot have IP addresses

Correct Answer: BD

QUESTION 5

When looking at clients in the `Monitoring Clients` section of the Controller, which of the following information is NOT visible?

- A. Role
- B. MAC address
- C. Output power of client radio
- D. Method of authentication
- E. Age

Correct Answer: C

[ACMA_6.3 VCE Dumps](#)

[ACMA_6.3 Study Guide](#)

[ACMA_6.3 Exam Questions](#)