



AD0-E308^{Q&As}

Adobe Campaign Classic Developer

Pass Adobe AD0-E308 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/ad0-e308.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Adobe
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Where do you define a new type of folder?

- A. Navigation hierarchy XML
- B. Form XML
- C. Platform Option
- D. Folder schema

Correct Answer: A

Reference: https://final-docs.campaign.adobe.com/doc/AC/en/CFG_Navigation_hierarchy_Overview.html

QUESTION 2

A marketer uses a custom Recipient field to store an email address. What changes, if any, must be made to send emails to seeds?

- A. Extend the seed schema with new email attribute only.
- B. Extend the seed schema with new email attribute, modify seed form, and reference the seed schema.
- C. Modify the seed form and reference the recipient schema.
- D. No changes are needed; the seeds can use the standard email attribute.

Correct Answer: C

Reference: <https://docs.adobe.com/content/help/en/campaign-classic/using/configuring-campaign-classic/use-a-custom-recipient-table/seed-addresses.html>

QUESTION 3

A Campaign developer is configuring an exclusion that takes two queries as input.

Query 1: Select customers with email address Query 2: Select customers who do not want to be contacted Customers who do not wish to be contacted must be removed. In a test run of the exclusion, the workflow

raises the following error:

"You must define the main set for exclusion `Remove Suppressions\\`."

How should the campaign developer solve this issue?

- A. Ensure a primary set is selected on the exclusion tab in the exclusion activity
- B. Only connect one query activity to the exclusion



- C. Configure a delivery for use with the target audience
- D. Create the list called Remove Suppressions before running the exclusion

Correct Answer: D

QUESTION 4

A Campaign developer creates an alert notification with the variable vars.recCount. What is the result?

- A. The notification sends the total population count for all segments in the campaign.
- B. The notification has the population count of the target going into the alert activity.
- C. The notification has the number of recipient records in the database.
- D. The notification is blank until the final target is approved for the workflow.

Correct Answer: B

QUESTION 5

A Campaign must exclude anyone who has received a different email sent from Adobe.

Which table should a Campaign developer query to find the people that have received the other email?

- A. nms:broadLogRcp
- B. nms:broadLog
- C. nms:trackingLogRcp
- D. xtk:broadLog

Correct Answer: B

[AD0-E308 VCE Dumps](#)

[AD0-E308 Practice Test](#)

[AD0-E308 Braindumps](#)