



AD0-E600^{Q&As}

Adobe Experience Platform Technical Foundations

Pass Adobe AD0-E600 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/ad0-e600.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Adobe
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

A data engineer is ingesting website data via CSV that represents a future hotel reservation.

The CSV is mapped to an ExperienceEvent schema and contains the following fields:

Full name,	CRM ID,	Email,	Stay date,	_id
John Smith,	112233,	john@example.com,	2025-05-06,	1234-1234-1234

Each field is mapped to the corresponding target field below:

```
"fullName": "string", "crmId": "string", "email": "string", "swyDate": "dateTime", "_id": "string"
```

Upon mapping the data, the mapping step fails with an error.

What is the possible cause of this error?

- A. _id field is passed in manually instead of autogenerated.
- B. CRM ID is an integer when the target field is a string.
- C. The source datelime format is incompatible with XDM.
- D. The default timestamp field is required upon ingestion.

Correct Answer: C

QUESTION 2

A marketer wants to send profile and attributes information to an RT-CDP Destination. Which destination option should the marketer choose to send profile and attributes information?

- A. Amazon S3 cloud storage destination
- B. Facebook Pixel extension
- C. Google Display and Video 360
- D. Google Ads

Correct Answer: A

QUESTION 3

Given the following:



```
[
  {"string": "string1", "int": 1, "array": [1, 2, 3], "dict": {"key": "value1"}},
  {"string": "string2", "int": 2, "array": [2, 4, 6], "dict": {"key": "value2"}},
  {
    "string": "string3",
    "int": 3,
    "array": [
      3,
      6,
      9
    ],
    "dict": {
      "key": "value3",
      "extra_key": "extra_value3"
    }
  }
]
```

How should a data engineer ingest this data?

A. AEP UI > Locate Dataset » Drag and drop the JSON files

B.

```
curl -X POST "https://platform.adobe.io/data/foundation/import/batches" \
-H "accept: application/json" \
-H "x-gw-ins-org-id: {IMS_ORG}" \
-H "Authorization: Bearer {ACCESS_TOKEN}" \
-H "x-api-key : {API_KEY}"
-d '{
  "datasetId": "{DATASET_ID}",
  "inputFormat": {
    "format": "json",
    "isMultilineJson": true
  }
}'
```

C.

```
curl -X POST "https://platform.adobe.io/data/foundation/import/batches" \
-H "accept: application/json" \
-H "x-gw-ins-org-id: {IMS_ORG}" \
-H "Authorization: Bearer {ACCESS_TOKEN}" \
-H "x-api-key : {API_KEY}"
-d '{
  "datasetId": "{DATASET_ID}",
  "inputFormat": {
    "format": "json",
  }
}'
```

A. Option A

B. Option B



C. Option C

Correct Answer: A

QUESTION 4

A data engineer exports segmented Real-time Customer Profile data to a new dataset called "Profile Export". The data engineer needs to directly download the data from the Profile Export dataset using the Data Access API. Which file format is supported for this use case?

- A. JSON
- B. CSV
- C. Parquet
- D. Blob

Correct Answer: A

QUESTION 5

A data engineer must set up a Streaming Connection with new authentication via the AEP UI to stream non XDM data into an existing Dataset. How should the data engineer proceed?

- A. Sources > Streaming > HTTP API > New Account > Add Data > Select Data > Select Dataset > Finish
- B. Sources > Streaming > HTTP API > Add Data > New Account > Select Data > Map Fields to XDM > New Dataset > Finish
- C. Destination > Streaming > HTTP API > New Account > Select Data > Map Fields to XDM Select Dataset > Finish
- D. Sources > Streaming > HTTP API > Add Data > New Account > Select Data > Map Fields to XDM > Select Dataset > Finish

Correct Answer: D

[AD0-E600 PDF Dumps](#)

[AD0-E600 Exam Questions](#)

[AD0-E600 Braindumps](#)