



AD0-E706^{Q&As}

Adobe Certified Expert-Magento Commerce Cloud Developer

Pass Adobe AD0-E706 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/ad0-e706.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Adobe
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

To secure composer credentials you want to remove the auth. json file from the project repository. How do you do that?

- A. The build phase runs on a separate server and variables are not available there you must keep the credentials in the auth. json file, but you can replace the password with its hash
- B. Add the env:COMPOSER_AUTH variable on the project level and make it visible on the build phase
- C. Put the composer credentials into /mnt/build/.config/composer/auth.json
- D. Add the composer_auth variable with the sensitive option enabled

Correct Answer: B

QUESTION 2

A project has a Magento cron job implemented to export new order data to a file. This process can also be triggered by a custom bin/magento command. The functionality uses a lock file in var/locks to prevent concurrent execution.

There are instances when the process gets locked after Production deployments and order data is not exported.

How do you prevent this from happening?

- A. Use the var_locks_clear variable available for the post_deploy stage in the .magento.env.yaml file
- B. Write a custom post_deploy hook to delete orphan lock files and include it in the .magento.app.yaml file
- C. Use the var_locks_clear variable available for the build stage in the .magento.app.yaml file
- D. You must access the Production environment and delete the lock file

Correct Answer: B

QUESTION 3

Your project is in a phase where the locales that will be used are still being determined. You need to configure your project in a manner that will allow them to be changed dynamically.

How can you accomplish this?

- A. Remove the system/default/general/locale configuration from the app/etc/config.php file
- B. Configure SCD_ON_DEMAND to true in the .magento.env.yaml file
- C. Run the command vendor/bin/ece-tools locales:unlock on the environment
- D. Configure DYNAMIC_LOCALES in the SCD_MATRIX to true in the .magento.env.yaml file

Correct Answer: B

**QUESTION 4**

You want to exclude some themes from static assets generation only for integration environments You are trying to choose where to set the `scd_exclude_themes` variable in the `.magento.env.yaml` file or in the Project Web UI.

What prevents the usage of the `.magento.env.yaml` file?

- A. Child environments inherit the variable when you use the `.magento.env.yaml` file
- B. The code from integration would be merged into the Staging and Production branches
- C. The `.magento.env.yaml` file can contain only deployment configuration options, which are only available if static assets generation runs on the deploy phase
- D. Only variables which are set using the Project Web UI has the option visible during build

Correct Answer: B

QUESTION 5

You are a technical admin on a Magento Commerce Cloud account A coworker needs to submit a support request with Magento Support.

What is needed to enable support ticket access"?

- A. Ask the account owner to add the user to shared access
- B. Ask the launch manager to create a support account for this user
- C. Change the environment access role to contributor for this user
- D. Update the project role of this user to administrator

Correct Answer: D

[Latest AD0-E706 Dumps](#)

[AD0-E706 PDF Dumps](#)

[AD0-E706 Study Guide](#)