

ASCP-MLT^{Q&As}

MEDICAL LABORATORY TECHNICIAN - MLT(ASCP)

Pass ASCP ASCP-MLT Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.geekcert.com/ascp-mlt.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by ASCP
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



VCE & PDF GeekCert.com

https://www.geekcert.com/ascp-mlt.html

2024 Latest geekcert ASCP-MLT PDF and VCE dumps Download

QUESTION 1

Acute hemolytic transfusion reactions are most commonly due to ABO-incompatible blood being transfused to a recipient with naturally occurring ABO alloantibodies (anti-A, anti-B, anti A,B). Acute intravascular hemolysis as the result of a blood transfusion is most often associated with which of the following causes?

- A. Transfusion of ABO incompatible red cells
- B. Allergies
- C. Passively transfused antibodies to HLA antigens
- D. Transfusion-associated graft-versus-host disease

Correct Answer: A

QUESTION 2

Provide the equivalent measurement for one pint.

- A. 4.2 liters
- **B.** 0.25 liters
- C. 0.1 liter
- D. 0.474 liters

Correct Answer: D

QUESTION 3

Once substance H is developed, the addition of the sugar N-acetylgalactosamine to the terminal position of the chain gives the molecule "A" antigenic activity. Which specific terminal sugar causes a red cell to have A antigenic activity?

- A. Galactose plus glucose
- B. Galactose
- C. N-acetylgalactosamine
- D. Glucose

Correct Answer: C

QUESTION 4

Name the comprehensive written safety plan detailing the proper use and storage of hazardous chemicals in the workplace.



https://www.geekcert.com/ascp-mlt.html 2024 Latest geekcert ASCP-MLT PDF and VCE dumps Download

- A. chemical hygiene plan
- B. OSHA
- C. SOP
- D. MSDS

Correct Answer: A

QUESTION 5

Either immunofixation or immunoelectrophoresis can be used to confirm Bence-Jones proteinuria.

Which of the following methods would be used to confirm the presence of Bence-Jones protein in the urine:

- A. Urine protein electrophoresis
- B. Sulfosalicylic acid
- C. Isoelectric focusing
- D. Immunofixation

Correct Answer: D