



A SS OCIATE-ANDROID-DEVELOPER^{Q&As}

Google Developers Certification - Associate Android Developer (Kotlin
and Java Exam)

**Pass Google ASSOCIATE-ANDROID-DEVELOPER
Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/associate-android-developer.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Google
Official Exam Center



VCE & PDF

GeekCert.com

<https://www.geekcert.com/associate-android-developer.html>

2024 Latest geekcert ASSOCIATE-ANDROID-DEVELOPER PDF and VCE dumps Download

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Assume that you have the following situation:

The app code calls for R.string.text_a. Three relevant resource files are available:

-

res/values/strings.xml, which includes text_a in the app's default language, in this case English.

-

res/values-mcc404/strings.xml, which includes text_a in the app's default language, in this case English.

-res/values-hi/strings.xml, which includes text_a in Hindi. The app is running on a device that has the following configuration:

- The SIM card is connected to a mobile network in India (MCC 404).

-The language is set to Hindi (hi).

Which is the correct statement below?

A. Android loads text_a from res/values/strings.xml (in English)

B. Android loads text_a from res/values-mcc404/strings.xml (in English)

C. Android loads text_a from res/values-hi/strings.xml (in Hindi)

Correct Answer: B

Android loads text_a from res/values-mcc404/strings.xml (in English), even if the device is configured for Hindi. That is because in the resource-selection process, Android prefers an MCC match over a language match (as a priority Exception).

Reference:

<https://developer.android.com/guide/topics/resources/localization>

QUESTION 2

What is the placeholder tag used for?

A. To mark text that should not be translated.

B. To raise a translation priority to a higher level

C. To raise a quantity of translations for the string

D. To pick up and move string translation from a different resource file

Correct Answer: A



Reference: <https://developer.android.com/guide/topics/resources/localization>

QUESTION 3

For example, our preferences.xmlfile was added by addPreferencesFromResource(R.xml.preferences). Our preferences.xmlfile contains such item:

In our Fragment, we can dynamically get current notification preference value in this way:

A. `boolean isNotificationOn = PreferenceManager.getDefaultSharedPreferences(getContext()).getBoolean(getContext().getString(R.string.pref_notification_key),getContext().getResources().getBoolean(R.bool.pref_notification_default_value))`

);

B. `boolean isNotificationOn = PreferenceManager.getSharedPreferences(getContext()).getBoolean(getContext().getString(R.string.pref_notification_default_value),getContext().getString(R.string.pref_notification_key))`

);

C. `boolean isNotificationOn = PreferenceManager.getSharedPreferences(getContext()).getBoolean(getContext().getResources().getBoolean(R.bool.pref_notification_default_value),getContext().getString(R.string.pref_notification_key))`

);

Correct Answer: A

QUESTION 4

Choose the most correct statement.

A. Android is a closed source, Linux-based software stack created for a wide array of devices and form factors.

B. Android is a closed source, Windows-based software stack created for a wide array of devices and form factors.

C. Android is an open source, Linux-based software stack created for a wide array of devices and form factors.

D. Android is an open source software stack created for a highly limited array of devices and form factors.

Correct Answer: C

Reference: <https://developer.android.com/guide/platform>

QUESTION 5

Select 3 major components of the Room. (Choose three.)



- A. @Entity
- B. @Query
- C. @RawQuery
- D. @DAO
- E. @WorkerThread
- F. @Database

Correct Answer: ADF

[ASSOCIATE-ANDROID-DEVELOPER VCE Dumps](#)

[ASSOCIATE-ANDROID-DEVELOPER Practice Test](#)

[ASSOCIATE-ANDROID-DEVELOPER Braindumps](#)