



# ASVAB-SECTION-4<sup>Q&As</sup>

ASVAB Section Four : Automotive & Shop Information

**Pass ASVAB ASVAB-SECTION-4 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/asvab-section-4.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by ASVAB  
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





### QUESTION 1

Which type of bolt is has a square section that grips into the part being fixed (typically wood) to prevent the bolt from turning when the nut is tightened?

- A. Hex bolt
- B. Eye bolt
- C. Carriage bolt
- D. Set bolt

Correct Answer: C

A carriage bolt has a domed or countersunk head and a shank that is topped by a short square section under the head.

---

### QUESTION 2

The safest way to make a hole in sheet metal is to \_\_\_\_\_.

- A. burn it with a soldering iron
- B. cut it using snips
- C. punch it using a metal punch
- D. get someone else to do it

Correct Answer: C

---

### QUESTION 3

The order in which an engine's spark plugs fire is established by the order in which the \_\_\_\_\_.

- A. plugs are mounted in the engine.
- B. plug leads are connected to the distributor cap.
- C. condenser is connected.
- D. contact points are opened.

Correct Answer: B

Spark plug leads must be installed in the correct tower of the cap to ensure the proper firing order. The firing order is the order that the spark plugs ignite the air/fuel mixture in the combustion chamber. A typical firing order for a six-cylinder engine is 1-5-3-6-2-4.

---



#### QUESTION 4

The usual shape of the tip of a Phillips screwdriver is \_\_\_\_\_.

- A. round-shaped
- B. T-shaped
- C. cross-shaped
- D. heart-shaped

Correct Answer: C

---

#### QUESTION 5

A clutch release bearing \_\_\_\_\_.

- A. rotates whenever the engine is turning.
- B. rotates when only the clutch is engaged.
- C. rotates whenever the clutch pedal is depressed.
- D. holds the clutch shaft in alignment.

Correct Answer: C

When a clutch pedal is depressed, the release bearing comes in contact with the fingers of the clutch pressure plate and rotates.

[Latest ASVAB-SECTION-4  
Dumps](#)

[ASVAB-SECTION-4 PDF  
Dumps](#)

[ASVAB-SECTION-4  
Braindumps](#)