



DVA-C01^{Q&As}

AWS Certified Developer - Associate (DVA-C01)

Pass Amazon DVA-C01 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/aws-certified-developer-associate.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Amazon
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Which of the following is chosen as the default region when making an API call with an AWS SDK?

- A. ap-northeast-1
- B. us-west-2
- C. us-east-1
- D. eu-west-1
- E. us-central-1

Correct Answer: C

<https://docs.aws.amazon.com/sdk-for-java/v1/developer-guide/java-dg-region-selection.html>. This section applies only when using a client builder to access AWS services. AWS clients created by using the client constructor will not automatically determine region from the environment and will, instead, use the default SDK region (USEast1).

QUESTION 2

A developer is building an application that runs behind an application Load Balancer (ALB). The application is configured as the origin for an Amazon CloudFront distribution. Users will log in to the application using their social media

accounts.

How can the developer authenticate and authorize users?

- A. Validate the user by inspecting the tokens using AWS Lambda authorizers on the ALB
- B. Configure the ALB to use Amazon Cognito as one of the authentication providers
- C. Configure Cloudfront to use Amazon Cognito as one of the authentication providers
- D. Authorize the users by calling the Amazon Cognito API in the AWS Lambda authorizer on the ALB

Correct Answer: C

QUESTION 3

What does an Amazon SQS delay queue accomplish?

- A. Messages are hidden for a configurable amount of time when they are first added to the queue.
- B. Messages are hidden for a configurable amount of time after they are consumed from the queue.
- C. The consumer can poll the queue for a configurable amount of time before retrieving a message.



D. Message cannot be deleted for a configurable amount of time after they are consumed from the queue.

Correct Answer: A

Reference:

<https://docs.aws.amazon.com/AWSSimpleQueueService/latest/SQSDeveloperGuide/sqs-delayqueues.html>

QUESTION 4

A developer is building an application integrating an Amazon API Gateway with an AWS Lambda function. When calling the API, the developer receives the following error. Wed Nov 03 01:13:00 UTC 2017 : Method completed with status: 502 What should the developer do to resolve the error?

- A. Change the HTTP endpoint of the API to an HTTPS endpoint.
- B. Change the format of the payload sent to the API Gateway.
- C. Change the format of the Lambda function response to the API call
- D. Change the authorization header in the API call to access the Lambda function

Correct Answer: C

QUESTION 5

A developer used the BatchWriteItem API operation to insert items in an Amazon DynamoDB table. The operation returned a few items as unprocessed due to throttling. The developer decides to retry the records on the unprocessed items.

What should the developer do to reprocess the records with the LEAST number of API calls?

- A. Retry the BatchWriteItem operation immediately
- B. Perform the PutItem operation on the unprocessed items individually instead of using the BatchWriteItem operation
- C. Delay the BatchWriteItem operation by using progressively longer wait times between retries, or exponential backoff
- D. Delete the items that were successfully processed, and reissue a new BatchWriteItem operation

Correct Answer: D

[Latest DVA-C01 Dumps](#)

[DVA-C01 Practice Test](#)

[DVA-C01 Braindumps](#)