



AZ-200^{Q&As}

Microsoft Azure Developer Core Solutions (beta)

Pass Microsoft AZ-200 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/az-200.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Microsoft
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

DRAG DROP

You need to ensure the upload format issue is resolved.

What code should you add at line RU14?

To answer, drag appropriate code fragments to the correct locations. Each code fragment may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Select and Place:

The screenshot shows the exam interface with two panes. On the left, the 'Values' pane contains five code fragments: `SMBDeletePending`, `ShareBeingDeleted`, `HttpStatusCode.Conflict`, `CannotDeleteFileOrDirectory`, and `HttpStatusCode.InternalServerError`. On the right, the 'Answer Area' pane shows a code snippet with two empty input fields for 'Value'.

Correct Answer:

The screenshot shows the exam interface with two panes. On the left, the 'Values' pane contains five code fragments: `SMBDeletePending`, `ShareBeingDeleted`, an empty field, `CannotDeleteFileOrDirectory`, and an empty field. On the right, the 'Answer Area' pane shows a code snippet with two input fields containing `HttpStatusCode.Conflict` and `HttpStatusCode.InternalServerError`.

The screenshot shows the 'Answer Area' pane with the final code snippet: `return`
`response.StatusCode == HttpStatusCode.Conflict`
`&&`
`response.ReasonPhrase == "HttpStatusCode.InternalServerError"`

QUESTION 2



Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution. Determine whether the solution meets the stated goals. You have the following resource group:

Resource group	Comments
DevServer_WestCentralUS	This resource group is located in the West Central US region and contains a single virtual machine (VM) named DevServer. DevServer is connected to a private subnet in an Azure Virtual Network that has no internet access.
Workstation_EastUS	This resource group is located in the East US region and contains a virtual machine named DevWorkstation. DevWorkstation is connected to a subnet in a Visual Network and is configured with a public IP address. A network security group has been configured to allow public incoming remote desktop protocol (RDP) connections to the DevWorkstation.

Developers must connect to DevServer only through DevWorkstation. To maintain security, DevServer must not accept connections from the internet.

You need to create a private connection between the DevWorkstation and DevServer.

Solution: Configure an IP address on each subnet within the same address space.

Does the solution meet the goal?

A. Yes

B. No

Correct Answer: A

QUESTION 3

HOT SPOT

You develop a microservice solution for a company.

The solution uses the Actor design pattern for all services including mapping, GPS, and communication. The mapping and communication systems must persist state on disk. The GPS system must persist state in-memory. All Actors must

have a service replica count of three.

You need to implement code for the GPS system.

How should you complete the code segment? To answer, select the appropriate options in the answer area;

NOTE: Each correct selection is worth one point.

Hot Area:



Answer Area

```
public interface IGPS_System : IActor
{
    Task<int> GetCountAsync(CancellationTok cancellationToken);
    Task SetCountAsync(int count, CancellationTok cancellationToken);
}
[StatePersistence(StatePersistence...
internal class GPS_System
```

Correct Answer:

Answer Area

```
public interface IGPS_System : IActor
{
    Task<int> GetCountAsync(CancellationTok cancellationToken);
    Task SetCountAsync(int count, CancellationTok cancellationToken);
}
[StatePersistence(StatePersistence...
internal class GPS_System
```



Answer Area

```
public interface IGPS_System : IActor
{
    Task<int> GetCountAsync(CancellationToken cancellationToken);
    Task SetCountAsync(int count, CancellationToken cancellationToken);
}
[StatePersistence(StatePersistence.Volatile)]
internal class GPS_System
```

QUESTION 4

HOT SPOT

You need to ensure that security policies are met.

What code should you add at Line PC26?

To answer, select the appropriate options in the answer area;

NOTE: Each correct selection is worth one point.

Hot Area:



Answer Area

```
var resolver = new KeyVaultKeyResolver(_keyVaultClient);  
var keyBundle = await _keyVaultClient.GetKeyAsync("-", "-");  
  
var key = keyBundle.Key;  
var key = keyBundle.KeyIdentifier.Identifier;  
var key = await resolver.ResolveKeyAsync("encrypt", null);  
var key = await resolver.ResolveKeyAsync(keyBundle.KeyIdentifier.Identifier, CancellationToken.None);  
  
var x = keyBundle.Managed;  
var x = AuthenticationScheme.SharedKey;  
var x = new BlobEncryptionPolicy(key, resolver);  
var x = new DeleteRetentionPolicy { Enabled = true, key.Kid != null };  
  
cloudBlobClient.DefaultRequestOptions.RequireEncryption = x;  
cloudBlobClient.AuthenticationScheme = x;  
cloudBlobClient.DefaultRequestOptions.RequireEncryption = x;  
cloudBlobClient.DefaultRequestOptions.EncryptionPolicy = x;  
cloudBlobClient.SetServiceProperties(new ServiceProperties(deleteRetentionPolicy: x));
```

Correct Answer:

Answer Area

```
var resolver = new KeyVaultKeyResolver(_keyVaultClient);  
var keyBundle = await _keyVaultClient.GetKeyAsync("-", "-");  
  
var key = keyBundle.Key;  
var key = keyBundle.KeyIdentifier.Identifier;  
var key = await resolver.ResolveKeyAsync("encrypt", null);  
var key = await resolver.ResolveKeyAsync(keyBundle.KeyIdentifier.Identifier, CancellationToken.None);  
  
var x = keyBundle.Managed;  
var x = AuthenticationScheme.SharedKey;  
var x = new BlobEncryptionPolicy(key, resolver);  
var x = new DeleteRetentionPolicy { Enabled = true, key.Kid != null };  
  
cloudBlobClient.DefaultRequestOptions.RequireEncryption = x;  
cloudBlobClient.AuthenticationScheme = x;  
cloudBlobClient.DefaultRequestOptions.RequireEncryption = x;  
cloudBlobClient.DefaultRequestOptions.EncryptionPolicy = x;  
cloudBlobClient.SetServiceProperties(new ServiceProperties(deleteRetentionPolicy: x));
```



```
Answer Area

var resolver = new KeyVaultKeyResolver(_keyVaultClient);
var keyBundle = await _keyVaultClient.GetKeyAsync("-", "-");

var key = keyBundle.Key;
var key = keyBundle.KeyIdentifier.Identifier;
var key = await resolver.ResolveKeyAsync("encrypt", null);
var key = await resolver.ResolveKeyAsync(keyBundle.KeyIdentifier.Identifier, CancellationToken.None);

var x = keyBundle.Managed;
var x = AuthenticationScheme.SharedKey;
var x = new BlobEncryptionPolicy(key, resolver);
var x = new DeleteRetentionPolicy { Enabled = true, KeyKid = null };

cloudBlobClient.DefaultRequestOptions.RequireEncryption = x;
cloudBlobClient.AuthenticationScheme = x;
cloudBlobClient.DefaultRequestOptions.RequireEncryption = x;
cloudBlobClient.DefaultRequestOptions.EncryptionPolicy = x;
cloudBlobClient.SetServiceProperties(new ServiceProperties(deleteRetentionPolicy: x));
```

QUESTION 5

You need to ensure that the SecurityPin security requirements are met.

Solution: Enable Always Encrypted for the SecurityPin column using a certificate based on a trusted certificate authority. Update the Getting Started document with instruction to ensure that the certificate is installed on user machines.

Does the solution meet the goal?

- A. Yes
- B. No

Correct Answer: B

[Latest AZ-200 Dumps](#)

[AZ-200 VCE Dumps](#)

[AZ-200 Practice Test](#)



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !


- 100% Guaranteed Success
- 100% Money Back Guarantee
- 365 Days Free Update
- Instant Download After Purchase
- 24x7 Customer Support
- Average 99.9% Success Rate
- More than 800,000 Satisfied Customers Worldwide
- Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.geekcert.com/allproducts>

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket:



 <p>One Year Free Update Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p>Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p>Security & Privacy We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.
All trademarks are the property of their respective owners.
Copyright © geekcert, All Rights Reserved.