



# AZ-600<sup>Q&As</sup>

Configuring and Operating a Hybrid Cloud with Microsoft Azure Stack Hub

## Pass Microsoft AZ-600 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/az-600.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Microsoft Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

Your company is a Cloud Solution Provider (CSP) that provides Azure Stack Hub services to multiple customers in a multitenant environment.

User subscriptions are linked to Azure CSP subscriptions for billing reconciliation.

You need to view the usage of all the customers for the current day and the last seven days.

What should you do?

- A. Query the Azure Stack Hub usage API
- B. Query the Partner Center Usage API
- C. From Partner Center, download the daily-rated usage reconciliation CSV
- D. From Partner Center, view the usage associated to the Azure Partner Shared Services (APSS) subscription

Correct Answer: B

Reference:

<https://docs.microsoft.com/en-us/azure-stack/operator/azure-stack-provider-resource-api?view=azs-2008>

---

### QUESTION 2

You have an Azure Stack Hub integrated system.

You unlock the privileged endpoint (PEP).

How long will the PEP session remain unlocked?

- A. 30 minutes
- B. 1 hour
- C. 24 hours
- D. 8 hours

Correct Answer: D

Unlocking the privileged endpoint for support scenarios During a support scenario, the Microsoft support engineer might need to elevate the privileged endpoint PowerShell session to access the internals of the Azure Stack Hub infrastructure.

This process is sometimes informally referred to as "break the glass" or "unlock the PEP".

An elevated PEP session has a validity of 8 hours, after which, if not terminated, the elevated PEP session will automatically lock back to a regular PEP session.

Reference: <https://learn.microsoft.com/en-us/azure-stack/operator/azure-stack-privileged-endpoint>



### QUESTION 3

#### HOTSPOT

You have an Azure Stack Hub Integrated system that has the following configurations:

Deployment virtual machine (DVM) IP address: 10.30.1.253 First host IP address: 10.30.1.193 Last host IP address: 10.30.1.254 Subnet mask: 255.255.255.192 BMC network: 10.30.1.192/26 Default gateway: 10.30.1.193 NTP: 10.31.1.2 DNS: 8.8.8.8

You need to deploy an Operator Access Workstation (OAW) to the Hardware Lifecycle Host (HLH) and configure the network settings for the OAW.

How should you complete the script? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

```
...  
# Deploy OAW  
$OAWRootPath = "D:\OAWExtracted"  
$SecurePassword = Read-Host -Prompt "Enter password for Azure Stack OAW's local administrator" -AsSecureString  
Set-Location -Path $OAWRootPath  
if (Get-ChildItem -Path $OAWRootPath -Recurse | Get-Item -Stream Zone* -ErrorAction SilentlyContinue | Select-Object -Property FileName)  
{ Write-Error -Message "Execution failed, unblock the script files first" }  
else {  
    .\New-OAW.ps1 -LocalAdministratorPassword $SecurePassword -  
    -SubnetMask "255.255.255.192" -DefaultGateway "10.30.1.193" -DNS "8.8.8.8" -TimeServer "10.31.1.2"  
}
```

The screenshot shows a PowerShell script execution window. The script file dropdown is set to .\New-OAW.ps1. The parameters are: -LocalAdministratorPassword \$SecurePassword, -SubnetMask "255.255.255.192", -DefaultGateway "10.30.1.193", -DNS "8.8.8.8", and -TimeServer "10.31.1.2".

Correct Answer:

```
...  
# Deploy OAW  
$OAWRootPath = "D:\OAWExtracted"  
$SecurePassword = Read-Host -Prompt "Enter password for Azure Stack OAW's local administrator" -AsSecureString  
Set-Location -Path $OAWRootPath  
if (Get-ChildItem -Path $OAWRootPath -Recurse | Get-Item -Stream Zone* -ErrorAction SilentlyContinue | Select-Object -Property FileName)  
{ Write-Error -Message "Execution failed, unblock the script files first" }  
else {  
    .\New-OAW.ps1 -LocalAdministratorPassword $SecurePassword -  
    -SubnetMask "255.255.255.192" -DefaultGateway "10.30.1.193" -DNS "8.8.8.8" -TimeServer "10.31.1.2"  
}
```

The screenshot shows the same PowerShell script execution window as above, but with the correct configuration for the OAW deployment. The parameters are: -LocalAdministratorPassword \$SecurePassword, -SubnetMask "255.255.255.192", -DefaultGateway "10.30.1.193", -DNS "8.8.8.8", and -TimeServer "10.31.1.2".



Box 1: .\New-OAW.ps1

Create the OAW VM using a script

The following script prepares the virtual machine as the Operator Access Workstation (OAW), which is used to access Microsoft Azure Stack Hub.

Sign in to the HLH with your credentials.

Download OAW.zip and extract the files.

Open an elevated PowerShell session.

Navigate to the extracted contents of the OAW.zip file.

Run the New-OAW.ps1 script.

Example: Example: Deploy on HLH using a Microsoft Image \$oawRootPath = "D:\oawtest"

```
$securePassword = Read-Host -Prompt "Enter password for Azure Stack OAW\'s local administrator" -AsSecureString
```

```
if (Get-ChildItem -Path $oawRootPath -Recurse | Get-Item -Stream Zone* -ErrorAction SilentlyContinue | Select-Object  
FileName)
```

```
{ Write-Host "Execution failed, unblock the script files first" } else { .\New-OAW.ps1 -LocalAdministratorPassword  
$securePassword }
```

Syntax:

New-OAW

-LocalAdministratorPassword ` -IPAddress `

-SubnetMask `

-DefaultGateway `

-DNS `

-TimeServer `

[-AzureStackCertificatePath ] `

[-AzSStampInfoFilePath ] `

[-CertificatePassword ] ` [-ERCSVMIP ] `

[-ImageFilePath ] `

[-VirtualMachineName ] `

[-VirtualMachineMemory ] `

[-VirtualProcessorCount ] `

[-VirtualMachineDiffDiskPath ] `



[-PhysicalAdapterMACAddress ]`

[-VirtualSwitchName ]`

[-ReCreate]`

[-AsJob]`

[-Passthru]`

[-WhatIf]`

[-Confirm]`

[]

Box 2: 10.30.1.253

Deployment virtual machine (DVM) IP address: 10.30.1.253

Note:

Parameter:

IPAddress (Required)

The static IPv4 address to configure TCP/IP on the virtual machine.

---

#### QUESTION 4

##### DRAG DROP

You have an Azure Stack Hub integrated system.

You need to ensure that you can recover managed and unmanaged disks that are deleted from user subscriptions.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:



### Actions

Modify the retention period for deleted storage accounts

Create a storage account that uses the Cool access tier

Open the configurations for the Storage resource provider

Connect to the administrator portal

Connect to the user portal

Connect to the privileged endpoint (PEP)

Open the configurations for the Compute resource provider

### Answer Area



Correct Answer:

### Actions

Create a storage account that uses the Cool access tier

Connect to the user portal

Connect to the privileged endpoint (PEP)

Open the configurations for the Compute resource provider

### Answer Area

Connect to the administrator portal

Open the configurations for the Storage resource provider

Modify the retention period for deleted storage accounts



Reference: <https://docs.microsoft.com/en-us/azure-stack/operator/azure-stack-manage-storage-accounts?view=azs-2008>



### QUESTION 5

You have a disconnected Azure Stack Hub integrated system that contains a user named User1.

You need to ensure that User1 can assign role-based access control (RBAC) roles in Azure Stack Hub. The solution must use the principle of least privilege.

Which Azure Stack Hub built-in role should you assign to User1?

- A. Owner
- B. User Access Administrator
- C. Security Admin
- D. Managed Identity Contributor

Correct Answer: B

User Access Administrator Lets you manage user access to Azure resources. \*/read Read resources of all types, except secrets. Microsoft.Authorization/\* Manage authorization Microsoft.Support/\* Create and update a support ticket

Reference:

<https://learn.microsoft.com/en-us/azure/role-based-access-control/built-in-roles>

[Latest AZ-600 Dumps](#)

[AZ-600 VCE Dumps](#)

[AZ-600 Exam Questions](#)