



C1000-002^{Q&As}

IBM MQ V9.0 System Administration

Pass IBM C1000-002 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/c1000-002.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which statement describes an MQI channel?

- A. A bidirectional communications link between two queue managers.
- B. A unidirectional communications link between two queue managers.
- C. A bidirectional communications link that connects an application to a queue manager.
- D. A unidirectional communications link that connects an application to a queue manager.

Correct Answer: C

Reference: https://www.ibm.com/support/knowledgecenter/en/SSFKSJ_8.0.0/com.ibm.mq.pro.doc/q003220_.htm

QUESTION 2

Which statement is true regarding the use of CHLAUTH rules?

- A. They can be used to set an MCAUSER value for any channel asserting a specific user ID
- B. They can be used to set an MQ service that overrides firewall policy on inbound channels
- C. They can be used to auto-define cluster sender channels for inbound channels to the full repository
- D. They can be used to configure the TLS distinguished name within the queue manager personal certificate.

Correct Answer: A

QUESTION 3

An administrator has developed an application to administer MQ using Programmable Command Format (PCF) messages.

Which queues need to exist on the target queue manager for the application to work?

- A. SYSTEM.COMMAND.INPUT on all platforms
- B. SYSTEM.ADMIN.COMMAND.EVENT on all platforms
- C. SYSTEM.ADMIN.COMMAND.QUEUE on distributed platforms and SYSTEM.COMMAND.INPUT on z/ OS
- D. SYSTEM.CLUSTER.COMMAND.QUEUE on distributed platforms and SYSTEM.CLUSTER.COMMAND.INPUT on z/OS

Correct Answer: B

Reference: http://www.nyu.edu/classes/jcf/g22.3033-010_fa03/slides/session13/g22_3033_011_c132.pdf



QUESTION 4

An administrator is connecting to a remote queue manager to perform remote administration tasks using MQ Explorer.

Which two permissions should the administrator set on the target queue manager object for the user running MQ Explorer in addition to DISPLAY? (Select two.)

- A. PUT
- B. GET
- C. BROWSE
- D. CONNECT
- E. INQUIRE

Correct Answer: BE

Reference: https://www.ibm.com/support/knowledgecenter/en/SSFKSJ_7.5.0/com.ibm.mq.adm.doc/q020400_.htm

QUESTION 5

What is the purpose of the `--s secretText` parameter used in the `prepareha` and `crthagrp` commands on MQ Appliance?

- A. To be used as the unique key for the appliances.
- B. To be used to decide. In secret, which appliance will be the preferred appliance.
- C. To generate a short-lived password used to create two keys, one for each appliance.
- D. To generate a short-lived password used to set up on unique key for the appliances.

Correct Answer: A

Reference: https://www.ibm.com/support/knowledgecenter/en/SS5K6E_9.0.0/com.ibm.mqa.doc/reference/HAcmd/crthagrp.htm

[C1000-002 VCE Dumps](#)

[C1000-002 Practice Test](#)

[C1000-002 Braindumps](#)