



# C1000-002<sup>Q&As</sup>

IBM MQ V9.0 System Administration

**Pass IBM C1000-002 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/c1000-002.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

An administrator is troubleshooting a 2035 MQRC\_NOT\_AUTHORIZED error. Which command can the administrator use to check all authorizations for a queue manager named QMA?

- A. dspmq -m QMA -all
- B. dmpmqlog -m QMA -auth
- C. dspmqaut -m QMA -n mqm -t queue
- D. dmpmqaut -m QMA >/tmp/QMA.dmpmqaut.txt

Correct Answer: C

Reference <https://www-01.ibm.com/support/docview.wss?uid=swg21166937>

---

### QUESTION 2

An instance of IBM MQ on Unix regularly processes larger messages. Which condition will have a positive impact on message throughput given that the system is short of real memory?

- A. larger log buffer sizes
- B. Application processing outside of a unit of work
- C. Defining queue using large persistent queue buffers
- D. Defining queues using large non-persistent queue buffers

Correct Answer: D

---

### QUESTION 3

What should an administrator do to detect when an application attempts to open a channel, but the attempt fails because SSL does not allow the connection?

- A. Check instrumentation event messages.
- B. Adjust the DISCINT parameter for the channel.
- C. Update the channels stanza in qm.ini with SSL=AUDIT.
- D. Apply a fixpack to prohibit unauthorized channel access.

Correct Answer: A

Reference: [https://www.ibm.com/support/knowledgecenter/en/SSFKSJ\\_7.1.0/com.ibm.mq.doc/zs14330\\_.htm](https://www.ibm.com/support/knowledgecenter/en/SSFKSJ_7.1.0/com.ibm.mq.doc/zs14330_.htm)

---



#### QUESTION 4

All of a company's IBM MQ installation (z/OS) are LTS (Long Term Support) releases. What must the OPMODE be set to after a migration is complete, in order to allow a backwards migration?

- A. COMPAT
- B. OLDFUNC
- C. NEWFUNC
- D. ROLLBACK

Correct Answer: C

Reference: [https://www.ibm.com/support/knowledgecenter/en/SSFKSJ\\_9.0.0/com.ibm.mq.mig.doc/q006290\\_.htm](https://www.ibm.com/support/knowledgecenter/en/SSFKSJ_9.0.0/com.ibm.mq.mig.doc/q006290_.htm)

---

#### QUESTION 5

What is the extension is used for IBM MQ FFST reports?

- A. dmp
- B. fdc
- C. fst
- D. ffst

Correct Answer: B

Reference: <https://www-01.ibm.com/support/docview.wss?uid=swg27009878andaid=1>

[C1000-002 PDF Dumps](#)

[C1000-002 Practice Test](#)

[C1000-002 Study Guide](#)