



C1000-004^{Q&As}

IBM Curam SPM V7.X Application Developer

Pass IBM C1000-004 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/c1000-004.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Examine the below message definition. What is the result when the runtime locale is set to fr_CA?

```
<message name="MESSAGE_WHERE">  
  <locale country="CA" language="en">Washroom</locale>  
  <locale country="GB" language="en">Lavatory</locale>  
  <locale language="en">Restroom</locale>  
</message>
```

- A. Washroom.
- B. Lavatory.
- C. Restroom.
- D. An error is displayed.

Correct Answer: A

QUESTION 2

Which tool do you use?

- A. Passport Advantage.
- B. Fix Central.
- C. RFE Tool.
- D. SR Tool.

Correct Answer: B

QUESTION 3

Which documentation resource contains a list of allowed and discouraged overrides for domain definitions?

- A. Modeling Reference Guide.
- B. Server Developer's Guide.
- C. Web Client Reference Guide.
- D. Development Compliancy Guide.



Correct Answer: A

Reference: https://www.google.com/url?sa=t&drct=j&andq=and&src=sand&source=web&andcd=1&andved=2ahUKEwiT8LiF6oTnAhUpylUKHUKfD_IQFjAAegQIARA&andurl=ftp%3A%2F%2Fpublic.dhe.ibm.com%2Fsoftware%2Fsolutions%2Fcuram%2F6.0.4.0%2Fen%2FDevelopers%2FCuramServerModellingGuide.pdf&andusg=AOvVaw3zCdfyWq3-9sTeq24TBILM

QUESTION 4

You want to add a custom operation to an out-of-the-box entity.

Which action should you perform in RSA?

- A. Add a generalization between the two entity classes.
- B. Add an aggregation between the two entity classes.
- C. Add an assignable between the two entity classes.
- D. Create a new entity class with the same name as the base entity class.

Correct Answer: B

QUESTION 5

Examine this UIM code snippet:

```
<LIST>
  <FIELD LABEL="List.Title.Type" WIDTH="15">
    <CONNECT>
      <SOURCE NAME="SI_DISPLAY" PROPERTY="type"/>
    <CONNECT>
      <LINK PAGE_ID="Sample_viewCase">
        <CONNECT>
          <SOURCE NAME="SI_DISPLAY" PROPERTY="caseID"/>
          <TARGET NAME="PAGE" PROPERTY="caseID"/>
        </CONNECT>
      </LINK>
    </FIELD>
    ...
  </LIST>
```

Which two missing elements are required for this FIELD element to compile successfully? (Choose two.)



- A. A PAGE_PARAMETER with NAME="caseID".
- B. A server interface with PHASE="DISPLAY".
- C. A server interface with PHASE="ACTION".
- D. A server interface call that returns an attribute called `type\\`.
- E. An ACTION_CONTROL of type ACTION.

Correct Answer: AE

[Latest C1000-004 Dumps](#)

[C1000-004 PDF Dumps](#)

[C1000-004 Practice Test](#)