



C1000-004^{Q&As}

IBM Curam SPM V7.X Application Developer

Pass IBM C1000-004 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/c1000-004.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

You added a code to a code table.

Which three build targets must you run so that the code displays on a client page? (Choose three.)


- A. client
- B. codetable
- C. database
- D. clean
- E. ctgen
- F. implemented

Correct Answer: BCE

Reference: https://www.ibm.com/developerworks/community/blogs/5e15a5a7-d4d6-4880-bd9ce6819061a832/resource/HandyGuideToCuramBuildTargets_v1.0.pdf?lang=en

QUESTION 2

You want to add a custom attribute to an out-of-the-box (OOTB) struct called CaseDetails. You create a custom struct called CustomCaseDetails. Both structs are shown in the diagram.



Which association should you model next?

- A. CustomCaseDetails subclasses CaseDetails.
- B. CustomCaseDetails aggregates CaseDetails.



- C. CaseDetails is assigned to CustomCaseDetails.
- D. CaseDetails aggregates CustomCaseDetails.

Correct Answer: C

QUESTION 3

Examine this UIM code snippet: How will the field element be displayed in the list?

```
<SERVER_INTERFACE CLASS="Employer" NAME="DISPLAY" OPERATION="getEmployee"/>
<PAGE_PARAMETER NAME="personID"/>
<CONNECT>
  <SOURCE NAME="PAGE" PROPERTY="personID"/>
  <TARGET NAME="DISPLAY" PROPERTY="key$personID"/>
</CONNECT>
<LIST>
  <FIELD LABEL="Field.Title.PersonReference" WIDTH="20">
    <CONNECT>
      <SOURCE NAME="DISPLAY" PROPERTY="personReference"/>
    </CONNECT>
    <LINK PAGE_ID="Person_Home">
      <CONNECT>
        <SOURCE NAME="DISPLAY" PROPERTY="name"/>
        <TARGET NAME="PAGE" PROPERTY="name"/>
      </CONNECT>
    </LINK>
  </FIELD>
  ...
</LIST>
```

- A. As an editable text field.
- B. As a non-editable text field.
- C. As a text field hyperlink.
- D. As a drop-down list field.

Correct Answer: B



QUESTION 4

You want to define infrastructure validation for MYDOMAIN, which is based on SVR_INT64. Which validation property can you define for MYDOMAIN?

- A. Pattern_Match.
- B. Enable_Validation.
- C. Maximum_Size.
- D. Custom_Validation_Function_Name.

Correct Answer: D

QUESTION 5

Examine the below message definition. What is the result when the runtime locale is set to fr_CA?

```
<message name="MESSAGE_WHERE">  
  <locale country="CA" language="en">Washroom</locale>  
  <locale country="GB" language="en">Lavatory</locale>  
  <locale language="en">Restroom</locale>  
</message>
```

- A. Washroom.
- B. Lavatory.
- C. Restroom.
- D. An error is displayed.

Correct Answer: A

[Latest C1000-004 Dumps](#)

[C1000-004 Practice Test](#)

[C1000-004 Brindumps](#)