



C1000-007^{Q&As}

IBM Cloud Application Development v3

Pass IBM C1000-007 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/c1000-007.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Which cf command scales an IBM Cloud Foundry application horizontally?

- A. \$ cf scale myApp
- B. \$ cf scale myApp - i 5
- C. \$ cf scale myApp - m 1G
- D. \$ cf scale myApp - k 512M

Correct Answer: B

QUESTION 2

Using Hyperledger Composer, which block of code correctly emits an event from a business network?



A. Option

```
async function basicEventTransaction(basicEventTransaction) {
  let factory = getFactory();
  let basicEvent = factory.newEvent('org.namespace', 'BasicEvent');
  emit(basicEvent);
}
```

B. Option

```
/**
 * @event {org.namespace.BasicEventTransaction} basicEventTransaction
 */
async function basicEventTransaction(basicEventTransaction) {
  let factory = getFactory();
  let basicEvent = factory.newEvent('org.namespace', 'BasicEvent');
  emit(basicEvent);
}
```

C. Option

```
/**
 * @param {org.namespace.BasicEventTransaction} basicEventTransaction
 * @event
 */
async function basicEventTransaction(basicEventTransaction) {
  let factory = getFactory();
  let basicEvent = factory.newEvent('org.namespace', 'BasicEvent');
  emit(basicEvent);
}
```

D. Option

```
/**
 * @param {org.namespace.BasicEventTransaction} basicEventTransaction
 * @transaction
 */
async function basicEventTransaction(basicEventTransaction) {
  let factory = getFactory();
  let basicEvent = factory.newEvent('org.namespace', 'BasicEvent');
  emit(basicEvent);
}
```

A. Option A

B. Option B

C. Option C

D. Option D

Correct Answer: D



QUESTION 3

In IBM API Connect, a user is unable to subscribe to a billing Plan with a Product. How can the error be solved?

- A. Ensure that the correct version of Node.js is installed
- B. Enable or increase the permission level of cookies in the browser settings
- C. Close the already started instance of the API Designer in another command window
- D. Ensure that there are fewer than 25 instances in the IBM Cloud API Connect service

Correct Answer: D

QUESTION 4

In IBM Cloud Kubernetes Service, what must be done to protect against failure of an availability zone?

- A. Set up a multi zone cluster
- B. Set up another cluster in the zone
- C. Set up a new pod in a new node in the zone
- D. Set up a load balancer to the multiple pods

Correct Answer: A

QUESTION 5

Which statement is true regarding microservices?

- A. They are scaled as a group when greater performance is needed
- B. They are an architecture style based on loosely coupled applications
- C. They are able to overlap responsibilities to provide better availability
- D. They are designed with a focus on combining unrelated tasks in one process

Correct Answer: B

[Latest C1000-007 Dumps](#)

[C1000-007 PDF Dumps](#)

[C1000-007 Study Guide](#)