

# C1000-007<sup>Q&As</sup>

IBM Cloud Application Development v3

# Pass IBM C1000-007 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/c1000-007.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

😳 365 Days Free Update

800,000+ Satisfied Customers





#### **QUESTION 1**

In IBM API Connect, a user is unable to subscribe to a billing Plan with a Product. How can the error be solved?

A. Ensure that the correct version of Node.js is installed

- B. Enable or increase the permission level of cookies in the browser settings
- C. Close the already started instance of the API Designer in another command window
- D. Ensure that there are fewer than 25 instances in the IBM Cloud API Connect service

Correct Answer: D

#### **QUESTION 2**

A Node.js application needs to be deployed first on a staging environment to be tested before it is deployed to production environment. Using the Delivery Pipeline, two Deploy stages were created, one called "DeployToStag" targeting staging environment and the other called "DeployToProd" targeting production environment.

On running the DeployToStag stage it ran successfully while on running the DeployToProd stage it failed

with the following error:

"The route myapp.mybluemix.net is already in use"

Which command in the Deploy script for the DeployToProd stage can fix the error?

A. Option

```
cf push "${CF APP}"
```

B. Option

cf push "\$(CF APP)" -- no-manifest

C. Option

```
of push "${CF_APP}" -h my-prod-app
```

D. Option

cf push "\${CF\_APP}" --random-route

- A. Option A
- B. Option B



- C. Option C
- D. Option D

Correct Answer: D

# **QUESTION 3**

\\'Make the build self testing\\' is one of the features of which capability?

- A. Delivery Pipeline
- B. Continuous Delivery
- C. Continuous Deployment
- D. Continuous Integration
- Correct Answer: D

### **QUESTION 4**

Using Hyperledger Composer, which block of code correctly emits an event from a business network?



# A. Option

```
async function basicEventTransaction(basicEventTransaction)
    let factory = getFactory();
    let basicEvent = factory.newEvent('org.namespace', 'Bas
    emit(basicEvent);
}
```

# R Option

```
/**
* @event (org.namespace.BasicEventTransaction) basicEventTr
*/
async function basicEventTransaction(basicEventTransaction)
    let factory = getFactory();
    let basicEvent = factory.newEvent('org.namespace', 'Bas
    emit(basicEvent);
}
```

C. Option

```
/**
* @param (org.namespace.BasicEventTransaction) basicEventTransaction)
* @event
*/
async function basicEventTransaction(basicEventTransaction)
let factory = getFactory();
let basicEvent = factory.newEvent('org.namespace', 'Bas
emit(basicEvent);
}
```

D. Option

```
/**
* @param (org.namespace.BasicEventTransaction) basicEventTransaction
*/
async function basicEventTransaction(basicEventTransaction)
    let factory = getFactory();
    let basicEvent = factory.newEvent('org.namespace', 'Bas:
    emit(basicEvent);
}
```

- A. Option A
- B. Option B
- C. Option C

D. Option D

Correct Answer: D



#### **QUESTION 5**

What is a benefit of using the IBM Cloud App ID?

- A. Adds authentication to mobile and web applications
- B. Fixes broken userIDs that are used to access mobile applications
- C. Generates passwords for userIDs that are used to authenticate mobile and web applications
- D. Provides a password vault to store userIDs and passwords that are used to access mobile and web applications

Correct Answer: A

C1000-007 PDF Dumps

C1000-007 VCE Dumps

C1000-007 Practice Test