



C1000-026^{Q&As}

IBM Security QRadar SIEM V7.3.2 Fundamental Administration

Pass IBM C1000-026 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/c1000-026.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

A QRadar user reported the following notification:

38750099 – The accumulator was unable to aggregate all events/flows for this interval

When does this message appear?

- A. When the aggregate data view configuration that is in memory is unable to write data to the database
- B. When the system is unable to accumulate data aggregations within 60 seconds
- C. When aggregated data views are disabled
- D. When search results is unable to return over 200 unique objects

Correct Answer: B

Reference: <https://www.ibm.com/support/knowledgecenter/SSKMKU/com.ibm.qradar.doc/38750099.html>

QUESTION 2

An administrator needs to import data into QRadar for a specific use case.

The data that has been provided to the administrator is stored in records that map a key to a value.

Which type of data collection must the administrator create?

- A. Reference set
- B. Reference map of sets
- C. Reference map
- D. Reference map of maps

Correct Answer: B

Reference: https://www.ibm.com/support/knowledgecenter/en/SS42VS_7.3.2/com.ibm.qradar.doc/t_qradar_config_rul_resp_reference_set.html

QUESTION 3

After fixing the assets that contributed to the asset growth deviation, an administrator needs to find the asset artifacts that have to be cleaned up.

What action should the administrator take to find the artifacts?

- A. On the "Log Activity" tab, run the "Deviating Asset Growth: Asset Report event search"
- B. On the Admin Tab, select System Configuration --> Asset Profiler Configuration



- C. Run the `./cleanAssets.sh --list` command
- D. On the Asset tab, run the "Clean Assets" action

Correct Answer: A

Reference: https://www.ibm.com/support/knowledgecenter/en/SS42VS_7.3.2/com.ibm.qradar.doc/t_qradar_adm_assets_deleting_invalid_assets.html

QUESTION 4

Which app should be used for monitoring QRadar performance and health?

- A. QRadar Deployment Intelligence
- B. QRadar Monitoring Intelligence
- C. QRadar Extension Management
- D. QRadar Performance Overview

Correct Answer: A

Reference: https://www.ibm.com/support/knowledgecenter/en/SSKMKU/com.ibm.QDIapp.doc/c_qapps_QDI_intro.html

QUESTION 5

A company has several appliances and the administrator needs to copy a file to all appliances to run some tests to verify the integrity of the processes. The `/opt/qradar/support/all_servers.sh` script can be used to issue commands to all QRadar appliances within the deployment.

What option must be used with the script to copy the file to all appliances in the deployment?

- A. `/opt/qradar/support/all_servers.sh -p`
- B. `/opt/qradar/support/all_servers.sh -k`
- C. `/opt/qradar/support/all_servers.sh -C`
- D. `/opt/qradar/support/all_servers.sh -g`

Correct Answer: A

Reference: <https://www-01.ibm.com/support/docview.wss?uid=swg21998517>

[C1000-026 VCE Dumps](#)

[C1000-026 Practice Test](#)

[C1000-026 Study Guide](#)