



C1000-038^{Q&As}

IBM z14 Technical Sales

Pass IBM C1000-038 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/c1000-038.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

A customer with a z14 has FICON16S+ defined as native FICON wants to optimize the execution of requests to their Storage DS88XX device.

Which technology should be implemented for optimizing the Channel?

- A. CPACF
- B. zHPF
- C. SCSI
- D. FCTC

Correct Answer: B

Reference: https://www-01.ibm.com/common/ssi/rep_ca/7/897/ENUS109-417/ENUS109-417.PDF

QUESTION 2

Which of the following is used to consolidate host channels on an IBM z14?

- A. CFSIZER tool
- B. FICON Aggregation analysis
- C. Fit for Purpose study
- D. zBNA tool

Correct Answer: D

QUESTION 3

A z14 customer has expressed interest in deploying firmware and software appliances on IBM Z.

What feature will enable the customer to achieve their goal?

- A. Linux on IBM Z running under z/VM
- B. IBM Db2 Analytics Accelerator (iDAA) on IBM Z
- C. zHyperLink
- D. Secure Service Container (SSC)

Correct Answer: D

Reference: <https://www-01.ibm.com/support/docview.wss?uid=isg2bb79df265313634d85258088005188e3andaid=1>



QUESTION 4

Due to recent data protection legislation, your client has asked how to protect the integrity of their z/OS audit records.

What system function should be recommended?

- A. Pervasive Encryption
- B. zSecure Audit
- C. Crypto Express adapter
- D. Signed SMF data

Correct Answer: A

Reference: [https://www.google.com/url?](https://www.google.com/url?sa=t&drct=j&dq=andescr=sandsource=webandcd=9andved=2ahUKEwjlanup43mAhUvsaQKHf0KCcoQFjAlegQIBRA&url=https%3A%2F%2Fwww.ibm.com%2Fdownloads%2Fcas%2FPLERXQDQandusg=AOvVaw23CLCcjsZJ3CmxdxQFan2Wr)

[sa=t&drct=j&dq=andescr=sandsource=webandcd=9andved=2ahUKEwjlanup43mAhUvsaQKHf0KCcoQFjAlegQIBRA&url=https%3A%2F%2Fwww.ibm.com%2Fdownloads%2Fcas%2FPLERXQDQandusg=AOvVaw23CLCcjsZJ3CmxdxQFan2Wr](https://www.google.com/url?sa=t&drct=j&dq=andescr=sandsource=webandcd=9andved=2ahUKEwjlanup43mAhUvsaQKHf0KCcoQFjAlegQIBRA&url=https%3A%2F%2Fwww.ibm.com%2Fdownloads%2Fcas%2FPLERXQDQandusg=AOvVaw23CLCcjsZJ3CmxdxQFan2Wr)

QUESTION 5

A customer wants to replace two zEC12 processors in different locations with two z14 processors. The customer has the following requirements:

Full redundancy within a z14 and in case of loss of one CPC.

Run 12 z/OS LPARs on each CPC.

Encryption requirements:

Some applications need SSL acceleration.

EP11 must be supported.

Pervasive Encryption must be supported.

Which of the following is the minimum hardware needed for each z14 to support the requirements?

- A. 4 zHyperlink Express Ports, 8 Crypto Express 6S Features, CPACF enabled.
- B. 4 Crypto Express 6S Features, CPACF enabled.
- C. 2 TKEs, 6 Crypto Express 6S Features, CPACF enabled.
- D. 8 Crypto Express 6S Features, CPACF enabled.

Correct Answer: C



VCE & PDF

GeekCert.com

<https://www.geekcert.com/c1000-038.html>

2024 Latest geekcert C1000-038 PDF and VCE dumps Download

[C1000-038 Practice Test](#)

[C1000-038 Exam Questions](#)

[C1000-038 Braindumps](#)