



C1000-038^{Q&As}

IBM z14 Technical Sales

Pass IBM C1000-038 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/c1000-038.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

A customer is interested in IBM LinuxONE as a platform for their new cloud-based application infrastructure. A sizing exercise has shown that one LinuxONE Emperor II machine (in LM2 configuration) is sufficient for their expected workload, but the customer is concerned about putting all the application workload on a single frame.

Which set of LinuxONE features can the technical specialist remind the customer about, to help to relieve their concern?

- A. RAIM memory, Capacity on Demand, SIMD
- B. Processor sparing, I/O redundancy, RAIM memory
- C. Processor sparing, SIMD, CPACF
- D. CPACF, I/O redundancy, Capacity on Demand

Correct Answer: D

QUESTION 2

A customer wants to replace two zEC12 processors in different locations with two z14 processors. The customer has the following requirements:

Full redundancy within a z14 and in case of loss of one CPC.

Run 12 z/OS LPARs on each CPC.

Encryption requirements:

Some applications need SSL acceleration.

EP11 must be supported.

Pervasive Encryption must be supported.

Which of the following is the minimum hardware needed for each z14 to support the requirements?

- A. 4 zHyperlink Express Ports, 8 Crypto Express 6S Features, CPACF enabled.
- B. 4 Crypto Express 6S Features, CPACF enabled.
- C. 2 TKEs, 6 Crypto Express 6S Features, CPACF enabled.
- D. 8 Crypto Express 6S Features, CPACF enabled.

Correct Answer: C

QUESTION 3



Which of the following best describes the term "RPO"?

- A. The point at which the data is in a consistent state at both the primary and the backup sites.
- B. The point at which the business declares a disaster.
- C. The point at which GDPS software begins automatic failover.
- D. The point at which the age of data at the backup site is acceptable.

Correct Answer: D

Reference: <https://searchstorage.techtarget.com/feature/What-is-the-difference-between-RPO-and-RTOfrom-a-backup-perspective>

QUESTION 4

In an environment with one IBM z14 and one z/OS LPAR, what component would contribute to higher availability?

- A. Dual HMC setup
- B. Three Phase Line cord
- C. Parallel Sysplex
- D. RAIM Memory technology

Correct Answer: C

Reference: <https://www-01.ibm.com/common/ssi/cgi-bin/ssialias?subtype=caandinfotype=anandsupplier=897andletternum=ENUS219-058>

QUESTION 5

How was zBNA improved to support the latest driver level for the z14 server (GA2 in October 2018)?

- A. z/OS Coupling Facility Structure Encryption support
- B. PCIe Express Gen3 Coupling Express Long Reach support
- C. zHyperLink write support
- D. FICON Channel Aggregation

Correct Answer: A

[Latest C1000-038 Dumps](#)

[C1000-038 VCE Dumps](#)

[C1000-038 Study Guide](#)