



# C1000-047<sup>Q&As</sup>

IBM Watson IoT Maximo Solution Architect V1

**Pass IBM C1000-047 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/c1000-047.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





#### QUESTION 1

Which of the following is true concerning the Reliability Engineering security group?

- A. it is created when Maximo Asset Health Insights (MAHI) is installed but needs to be associated to the organizational roles
- B. it is created so users can access the Business Analysis Work Center
- C. it is created when Maximo Asset Health Insights (MAHI) is installed
- D. it is created when Maximo Asset Health Insights (MAHI) is installed but needs to be associated to the assets and locations

Correct Answer: D

---

#### QUESTION 2

Which three entities can you connect a Maximo Asset Performance Management (APM) Mitigating Action?

- A. Work Order
- B. Item
- C. Routes D D. Asset
- D. Preventive Maintenance (PM)
- E. Job Plan

Correct Answer: BDE

---

#### QUESTION 3

Which industry solutions are supported for Maximo Anywhere?

- A. Calibration, HSE, Oil and Gas, ACM, Aviation, Nuclear
- B. HSE, Oil and Gas, ACM, Aviation
- C. Calibration, HSE, Oil and Gas, ACM
- D. Calibration, HSE, ACM, Transportation, Aviation

Correct Answer: B

---

#### QUESTION 4

Which two data connections are available out of the box with Maximo Asset Health Insights (MAHI)?



- A. ATandT Asset Management Operations Center
- B. Microsoft Azure Data Lake
- C. Google Cloud Platform
- D. Amazon Web Services
- E. IBM Watson IoT Platform

Correct Answer: A

---

#### QUESTION 5

Which statement is true when working with Sites?

- A. Assets are at the Site level.
- B. Sites can have multiple holding locations.
- C. Each Organization must have a default Site.
- D. Sites can be shared across Organizations.

Correct Answer: C

[Latest C1000-047 Dumps](#)

[C1000-047 PDF Dumps](#)

[C1000-047 Braindumps](#)