



C1000-056^{Q&As}

IBM App Connect Enterprise V11 Solution Development

Pass IBM C1000-056 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/c1000-056.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

What is the best practice approach for storing shared development resources?

- A. Libraries
- B. Message Map
- C. Tables
- D. Files

Correct Answer: A

QUESTION 2

When sharing data between a calling flow and a response flow, how can user context data be stored?

- A. By setting a value in the Environment.CallableFlow.UserContext environment variable
- B. On a database or in a local drive
- C. In a remote database or in the local host's memory
- D. By setting a value in the ContextData environment variable or in a local drive

Correct Answer: A

https://www.ibm.com/support/knowledgecenter/SSMKHH_10.0.0/com.ibm.etools.mft.doc/cl28163_.html

To store user context data, you can either set a value in the Environment.CallableFlow.UserContext environment variable, or create and populate child folders below it in the message tree. For example, you can use the following command to

specify context data to be stored the environment:

```
SET Environment.CallableFlow.UserContext = '\\myData\\';
```

QUESTION 3

How is an IBM supplied pattern removed from the IBM App Connect Enterprise Toolkit?

- A. Right-click the pattern name in Pattern Repositories > OT4I GitHub Pattern Repository and choose Purge.
- B. Right-click the pattern name in Pattern Repositories > OT4I GitHub Pattern Repository and choose Uninstall.
- C. Right-click the pattern and choose Uninstall.
- D. Right-click the pattern and choose Purge.

Correct Answer: B



If you want to uninstall and remove a pattern from the IBM App Connect Enterprise Toolkit, right- click the pattern name in Pattern Repositories > OT4I GitHub Pattern Repository and click Uninstall.

https://www.ibm.com/support/knowledgecenter/SSTTDS_11.0.0/com.ibm.etools.mft.doc/ac68260_.html

QUESTION 4

Which editor are the global cache values defined and retrieved from?

- A. Graphical Data Mapping
- B. Message Flow Mapping
- C. Integration Data Mapping
- D. Message Data Mapping

Correct Answer: A

https://www.ibm.com/support/knowledgecenter/SSMKHH_10.0.0/com.ibm.etools.mft.doc/br26106_.htm

QUESTION 5

Which file needs to exist in the directory where the command docker build run?

- A. Dockerfile
- B. docker.yaml
- C. Configfile
- D. config.yaml

Correct Answer: A

[Latest C1000-056 Dumps](#)

[C1000-056 Practice Test](#)

[C1000-056 Exam Questions](#)