



C1000-085^{Q&As}

IBM Netezza Performance Server V11.x Administrator

Pass IBM C1000-085 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/c1000-085.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Consider a scenario where a customer has a FACT_SALES table with a column zip_code with data type char(5). They frequently restrict on this column, but the query is very inefficient.

What is the correct way to optimize this query without modifying the column?

- A. Create a copy of FACT_SALES table with zip_code as integer data type.
- B. alter table fact_sales to organize on zip_code. followed by groom.
- C. CREATE ORGANIZED view for FACT_SALES table
- D. Create a view with a typecast to integer and use view for query purposes

Correct Answer: C

QUESTION 2

What happens to NFS mounts after a container failover?

- A. NFS is handled by Red Hat OpenShift and does not need to be mounted.
- B. Sysmgr will remount it as part of the IBM Netezza Performance Server environment
- C. A containers do not allow for NFS mounts.
- D. It will be automatically mounted by the ipsnfs service.

Correct Answer: A

QUESTION 3

What two files are extracted from the SQL Extension toolkit package?

- A. libnetinza-version.tar.gz
- B. libnetsqlxt-version.tar.gz
- C. libnetxml-version.tar.gz
- D. libnetcrypto-version.tar.gz
- E. libnetsqlkit-version.tar.gz

Correct Answer: AE

QUESTION 4



Which statement regarding drive failure is true?

- A. Queries and transactions are not interrupted by drive failure if their data is not on the failed drive.
- B. Queries and transactions are not interrupted in the event of a drive failure.
- C. Queries and transactions are interrupted by drive failure because there is no drive mirroring for drives.
- D. Running queries and transactions will finish, but new transactions will not be allowed till drive is changed.

Correct Answer: A

QUESTION 5

When choosing a distribution key for a large fact table, what is a valid choice?

- A. any column used in table constraints
- B. any column with low cardinality
- C. a technical or surrogate key
- D. any date column commonly used in queries

Correct Answer: A

[C1000-085 VCE Dumps](#)

[C1000-085 Exam Questions](#)

[C1000-085 Braindumps](#)