

# C1000-091<sup>Q&As</sup>

IBM Cloud Pak for Automation v19.0.3 Administration

### Pass IBM C1000-091 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.geekcert.com/c1000-091.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



### VCE & PDF GeekCert.com

## https://www.geekcert.com/c1000-091.html 2024 Latest geekcert C1000-091 PDF and VCE dumps Download

QUESTION 1
What needs to be configured for new nodes to be automatically created to run pods that are in a waiting state?
A. VPC Autosizing
B. Pod Autodeployment
C. Node duplication
D. Cluster Autoscaling
Correct Answer: B
QUESTION 2
What is used to deploy an IBM Business Automation Application Engine (App Engine) environment for running the applications that are built in IBM Business Automation Studio?
A. Swagger file
B. Docker Compose
C. Kube Proxy
D. Custom Resource (CR) file
Correct Answer: D
QUESTION 3
Which reclaim policy is recommended for enabling manual recovery of data after deletion of a persistent volume claim?
A. Delete
B. Active
C. Retain
D. Recycle
Correct Answer: C
https://kubernetes.io/docs/concepts/storage/persistent-volumes/

### **QUESTION 4**

Where is the number of replicas defined for IBM Automation Digital Worker, when high availability is required?



#### https://www.geekcert.com/c1000-091.html 2024 Latest geekcert C1000-091 PDF and VCE dumps Download

- A. In the route definitions of the Digital Worker
- B. In the worker node configuration
- C. In the secret.yaml file for ADW
- D. In the Custom Resource (CR) definition

Correct Answer: D

 $https://www.ibm.com/support/knowledgecenter/SSYHZ8\_20.0.x/com.ibm.dba.managing/op\_topics/tsk\_adw\_prepare\_fault\_tol.html$ 

#### **QUESTION 5**

Which two service accounts in OpenShift are created by default in projects?

- A. builder
- B. developer
- C. debugger
- D. tester
- E. deployer

Correct Answer: AE

 $https://docs.openshift.com/container-platform/3.6/dev\_guide/service\_accounts.html\#: \sim : text = A\%20 default\%20 service\%20 account\%20 is, using\%20 the\%20 internal\%20 container\%20 registry.$ 

<u>Latest C1000-091 Dumps</u> <u>C1000-091 PDF Dumps</u> <u>C1000-091 VCE Dumps</u>